Green Procurement Guide[Ver.34]



Issued on Sep. 1, 2025 Sanken Electric Co., Ltd.

Green Procurement Guide

1. Purpose:

This guide intends to clarify "substances prohibited from being contained in Sanken products", "substances contained in Sanken products which must be identified and their content", "control system of chemical substances contained in products which suppliers/vendors should make" and "how to submit survey report of environment-restricted substances"

2. Terms and definitions

Table 2-1 Terms and definitions

No	Terms	Definitions in this standard	
1	Sanken products	The products sold by Sanken Electric Co., Ltd.	
2	Sanken group	Generic name of Sanken Electric Co., Ltd and its group companies (abbreviation: "SG")	
3	Suppliers	The suppliers of parts and materials for Sanken products, the contract manufacturing	
		companies for Sanken products, etc. (except for Sanken group)	
4	Customers	The customers for Sanken products (except for Sanken group)	
5	Chemical Sub-	The examination and regulation such as the production of Chemical substances (Japan)	
	stances Control		
	Law		
6	RoHS Directive	EU directive on the restriction of the use of hazardous substances in electrical and	
		electronic equipments (substantially the global standard)	
7	ELV Directive	EU directive on the restriction of the use of hazardous substances in vehicles	
	DEL CIT	(substantially the global standard)	
8	REACH	EU rule that determined chemical substance management for all materials	
	CITIC	(substantially the global standard)	
9	SVHC	Substances of Very High Concern which are prescribed ECHA	
10	Article	Object given specific shape, a design deciding the function during production	
11	Packaging Di-	EU directive on the restriction of the use of hazardous substances in packaging	
12	rective IEC62474	(There are substantially equal state regulations in USA.)	
12	(International	International guideline on the disclosure of material compositions in electrical and electronic equipments	
	Electro technical	electronic equipments	
	Commission)		
13	GADSL	A common list of controlled chemicals, which has been established by the GASG(Global	
	(Global Automo-	Automotive Stakeholders Group) consisted of automobile manufacturers, automobile	
	tive	component manufacturers, and chemicals manufacturers in Japan, USA, and Europe,	
	Declarable Sub-	The listed chemicals are defined with codes(prohibited)or(declarable).	
	stance List)		
14	POPs	The Stockholm Convention on Persistent Organic Pollutants is a global treaty to pro-	
	(Stockholm Con-	tect human health and the environment from chemicals that remain intact in the en-	
	vention on Persis-	vironment for long periods, become widely distributed geographically, accumulate in	
	tent Organic Pol-	the fatty tissue of humans and wildlife, and have harmful impacts on human health or	
	lutants)	on the environment.	

3. Scope

This standard is applied to the products in **Table 3-1**.

Table 3-1 Target products

Nº	Target products		
1	Parts, materials and assembled components used for the main body of Sanken products		
2	Parts, materials and assembled components used for the accessories of Sanken products		
3	Printed matters such as operating instructions packaged together with Sanken products		
	Chemicals, parts and materials composing manufacturing devices, etc. used in the manufacturing pro-		
4	cess, that		
	remain in or adhere to the finished Sanken products (including unintended residuals and deposits)		
5	Semi-finished products and finished products that are bought by Sanken group to be resold as Sanken		
9	products		
	Packaging materials for shipping of Sanken products to customers (i.e. parts and materials used for these		
6	packaging materials)		

4. Banned substances

Sanken Group specifies the substances in **Table 4-1** and **Table 5-5** as the Controlled substances. Controlled substances range from the substances banned by a part of applications to the substances through all applications (refer to Chapter 5, Chapter 6). As to SVHC, its inclusion information must be disclosed.

In the future, more substances will be registered by council.

Please pay attention to REACH which was established after RoHS Directive enforcement. This REACH doesn't include RoHS Directive.

Table 4-1 List of banned substances

Categories	Banned Substances
	Cadmium (Cd) and its compounds
Haarm matala	Lead (Pb) and its compounds
Heavy metals	Mercury (Hg) and its compounds
	Hexavalent chromium (Cr6+) compounds
Brominated	Polybrominated biphenyls (PBBs)
organic compounds	Polybrominated diphenylethers (PBDEs) (not excluding deca BDE)
	Dibutyl tin compounds(DBTs)
	Diocthyl tin compounds(DOTs)
Ommonio	Trimethyl tin compounds(TMTs)
Organic tin compounds	Triethyl tin compounds(TETs)
tin compounds	Tripropyl tin compounds(TPTs)
	Tributyl tin compounds (TBTs) include Bis(Tributyl tin)oxide(TBTO)
	Triphenyl tin compounds (TPTs)
Chlorinated	Polychlorinated biphenyls (PCBs)
organic compounds	Polychlorinated naphthalenes (PCNs) (more than 1 chlorine atoms)

Categories	Banned Substances
	Polychlorinated terphenyls (PCTs)
	Short-chain chlorinated paraffins (SCCPs) (carbon chain length of 10-13)
	Medium Chain Chlorinated Paraffins (MCCP) (carbon chain length of 14-17)
	Polyvinyl chloride (PVC) (including its mixtures and its copolymers) voluntary re-
	striction:see Table 5-3 Other Banned Substances
	Declorane Plus (DP)
	PentaPentachlorophenol (PCP)
	Hexachlorobenzene
Halogenated	Mirex
Organic com-	Hexachlorobuta(-1,3-)diene
pounds	Pentachlorobenzene
	α-,β-,γ-Hexachlorocyclohexane
Organic fluorine	Perfluorooctane sulfonates and its salt(PFOS)
compound	Perfluorooctanoic acid and its salts (PFOA)
	Perfluorohexanesulfonic acid (PFHxS) and its salts and PFHxS-related substances
	Perfluorocarboxylic acids (C9-C14 PFCA), their salts, and C9-C14 PFCA-related sub-
	stances
	Long-Chain Perfluorocarboxylic Acids (LC-PFCAs) and their salts and related substances
Specified phthalate Specific phthalates (the following six substances)	
ester	(1) Bis (2-ethylhexyl) phthalate [another name:Di (2-ethylhexyl) phthalate (DEHP or
	DOP)]
	(2) Dibutyl phthalate (DBP)
	(3) Benzyl butyl phthalate (BBP)
	(4) Di-"isononyl" phthalate (DINP)
	(5) Di-"isodecyl" phthalate (DIDP)
	(6) Di-n-octyl phthalate (DNOP)
	Asbestos
	Specific azo compounds (forming specific amines)
	Ozone depleting substances (target substances of Montreal Protocol)
	Radioactive substances
	Formaldehyde
Others	Beryllium oxide
	Cobalt chloride
	Specific benzotriazole (CAS №3846-71-7)
	dimethyl fumarate (DMF)(CSAN₀624-49-7)
	Aldrin
	Dieldrin
	Endrin

		21101	000.	
Categories	Banned Substances			
	DDT(Chlorophenothane)			
Chlordanes				
N,N'-ditolyl-p-,N-tolyl-N'-xylyl-p-,N,N'-dixylyi-p-phenylenediamine				
	2,4,6-tri-tert-butylphenol			
	Toxaphene			
	Kelthane			
	2-(2H-benzotriazol-2-yl)-4,6-di-tert-butylphenol			
	Chlordecone			
	Fluorinated greenhouse gases(HFC,PFC,SF6)			
	Tris(2,3-dibromopropan-1-yl) phosphate(TRIS)			
	Tris(1-aziridinyl) phosphine oxide(TEPA)			
	Tris(2-chloroethyl)phosphate(TCEP)			
Hexabromocyclododecane(HBCDD)				
	Decabromodiphenyl ether (DecaBDE)			
	Diarsenic trioxide			
	Diarsenic pentaoxide			
	Simazine			
	Ethyl p-nitrophenyl			
	Endosulfan			
	Benzenamine, N-phenyl-, reaction products with	n styrene	e and	
	2,4,4-trimethylpentene(BNST)			

·	
Categories	Banned Substances
	Polycyclic Aromatic Hydrocarbon(PAH)
	(1) Naphthalene
	(2) Acenaphthylene
	(3) Acenaphthene
	(4) Fluorene
	(5) Phenanthrene
	(6) Anthracene
	(7) Fluoranthene
	(8) Pyrene
	(9) Benzo(a)anthracene
	(10) Chrysene
	(11) Indeno(1,2,3-cd)pyrene
	(12) Benzo(b)fluoranthene
	(13) Benzo(k)fluoranthene
	(14) Benzo(a)pyrene
	(15) Dibenzo(a,h,)anthracene
	(16) Benzo(g,h,i,)pyrylene
	(17) Benzo(j)fluoranthene
	(18) Benzo(e)pyrene
	Naphthalene
	Refractories, fibers, aluminosilicate
	UV-328
	GADSL 'P': Substance of Prohibited category
	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals under TSCA Section 6(h)
	Substances subject to the POPs Convention (Some substances are listed individually.)
	

5. Banned usage and allowable concentration

Sanken Group specifies banned usage and allowable concentration with **Table 5-1~5-4** for each of banned substances in Table 4-1. And Table 5-5 specifies SVHC in REACH. Refer to the supplementary explanations in **Table 5-6**.

Table 5-1 RoHS substances

	Allowable cond	entrations	
	per each hom	ogeneous ma-	
Banned substances: Cadmium (Cd) and its compounds / Applications	terial		
	Controlled	Regulated	
	values	values	

		101 000
Plastics, paints, and inks	(Cd) Prohibi-	(Cd)
Note: Plastics mainly content synthesis polumer and rubber. Paints con-	tion of	Less than
tent fluorescent materials for fluorescent lamps. (the same as follows)	intentional	100 ppm
	use and	
	less than 5	
	ppm	
Solders	(Cd) Prohibi-	(Cd)
	tion of	Less than
	intentional	100 ppm
	use and	
	less than 20	
	ppm	
All applications other than the above. (Excluding applications: Testing,	(Cd) Prohibi-	(Cd)
research, measurement.)	tion of	Less than
	intentional	100 ppm
	use and	
	less than 50	
	ppm	
[Exemption (Cd)]	/	/
$\blacksquare \textsc{Electrical}$ contacts : until the deadline will be described in the Next EU		
Official Journal	/	
$\blacksquare filter$ glasses and glasses used for reflectance standards \vdots until the		
deadline will be described in the Next EU Official Journal		
$\blacksquare printing inks for the application of enamels on glasses, such as borosil-$		
icate and soda lime glasses : until 2021/7/21		
\blacksquare thick film pastes used on aluminum bonded beryllium oxide : until		
2021/7/21		
$\blacksquare Cadmium \ selenide \ in \ downshifting \ cadmium\ based \ semiconductor$		
$nanocrystal\ quantum\ dots\ for\ use\ in\ display\ lighting\ applications: until$		
the deadline will be described in the Next EU Official Journal		
	V	\bigvee

	Allowable concentrations per each homogeneous ma-	
Banned substances : Lead (Pb)and its compounds / Applications	terial	
	Controlled	Regulated
	values	values

		51	XGP-000
Plastics, paints, and inks		(Pb) Prohibi-	(Pb)
* US/California Proposition 65 Case		tion of inten-	Less than
		tional use	300 ppm*
		and	
		less than 50	
		ppm	
Electroless nickel plated		(Pb)	(Pb)
(Lead and its compounds are allowed to be added	d to the plating liquid for	Less than	Less than
stabilization. Strictly control the content density	of lead.)	750 ppm	1000 ppm
All applications other than the above		(Pb) Prohibi-	(Pb)
(excluding lead contained solders intentionally pu	urchased by Sanken	tion of	Less than
Group. / (Excluding applications: Testing, research	ch, measurement.)	intentional	1000 ppm
		use and	
		less than 500	
		ppm	
[Exemption (Pb)]			
■White glasses used for optical applications: u	ntil the deadline will be		
described in the Next EU Official Journal			
■Filter glasses and glasses used for reflectance standards: until the			
deadline will be described in the Next EU Officia			
■Printing inks for the application of enamels on glasses, such as borosil-			
icate and soda lime glasses : until 2021/7/21			,
Solders for the soldering to machined through hole discoidal and planar			
array ceramic multilayer capacitors: until the deadline will be described			
in the Next EU Official Journal			
■The plating layer of high voltage diodes on the basic of a zinc borate			
glass body : until 2021/7/21			
6(a)-1	until the deadline will	be described in	the Next EU
Lead as an alloying element in steel for ma-	Official Journal for cates	gories 1- 10	
chining purposes containing up to $0.35~\%$ lead	until 2021/7/21 for categ	ories 11	
by weight and in batch hot dip galvanised steel			
components containing up to 0,2 % lead by			
weight			

Expires on:
until the deadline will be described in the Next EU
Official Journal for categories 8 and 9 other than in
vitro diagnostic medical devices and industrial moni-
toring and control instruments,
21 July 2023 for category 8 in vitro diagnostic medical
devices,
21 July 2024 for category 9 industrial monitoring and
control instruments, and for category 11.
until the deadline will be described in the Next EU
Official Journal for categories 1-7 and 10
until the deadline will be described in the Next EU
Official Journal for categories 1-7 and 10.'
Expires on:
until the deadline will be described in the Next EU
Official Journal for categories 1-7 and 10,
until the deadline will be described in the Next EU
Official Journal for categories 8 and 9 other than in
vitro diagnostic medical devices and industrial moni-
toring and control instruments,
21 July 2023 for category 8 in vitro diagnostic medical
devices,
21 July 2024 for category 9 industrial monitoring and
control instruments, and for category 11.'
_

7(a)

Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)

Applies to categories 1-7 and 10 (except applications covered by point 24 of this Annex) on until the deadline will be described in the Next EU Official Journal.

For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments on until the deadline will be described in the Next EU Official Journal.

For category 8 in vitro diagnostic medical devices expires on 21 July 2023.

For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.'

7(c)-I

Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound Applies to categories 1-7 and 10 (except applications covered under point 34) on until the deadline will be described in the Next EU Official Journal.

For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments on until the deadline will be described in the Next EU Official Journal.

For category 8 in vitro diagnostic medical devices expires on 21 July 2023.

For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.'

7(c)-II

Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher

Expires on:

until the deadline will be described in the Next EU Official Journal for categories 1-7 and 10;

until the deadline will be described in the Next EU Official Journal for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments;

21 July 2023 for category 8 in vitro diagnostic medical devices;

21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.

Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages'

Expires on:

until the deadline will be described in the Next EU Official Journal for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments;

21 July 2023 for category 8 in vitro diagnostic medical devices;

21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.

Note: Until February 29, 2020, the current "exclusion" applies to categories 1-7 and 10, too.

15(a)

Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies:

a semiconductor technology node of 90 nm or larger;

a single die of 300 mm2 or larger in any semiconductor technology node;

stacked die packages with die of 300 mm2 or larger, or silicon interposers of 300 mm2 or larger.

Note: The new 'Exclusions and Exclusion Range' legally applies from products launched in the EU on 29 February 2020.

Applies to categories 1-7 and 10 on until the deadline will be described in the Next EU Official Journal.

34

Lead in cermet-based trimmer potentiometer elements

Applies to all categories; expires on:

until the deadline will be described in the Next EU Official Journal for categories 1-7 and 10,

until the deadline will be described in the Next EU Official Journal for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments,

21 July 2023 for category 8 in vitro diagnostic medical devices,

21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.

	Allowable concentrations		
	per each homogeneous mate-		
Banned substances: Mercury (Hg)and its compounds / Applications	rial		
	Controlled	Regulated	
	values	values	
All applications. (Excluding applications: Testing, research, measurement.)	(Hg) Prohibi-	(Hg)	
	tion of	Less than	
	intentional	1000 ppm	
	use and		
	less than 100		
	ppm		

Banned substances: Hexavalent chromium(Cr6+)compounds / Applications	Allowable concentrations per each homogeneous material		
	Controlled	Regulated	
	values	values	
All applications. (Excluding applications: Testing, research, measurement.)	(Cr6+)Prohibi	(Cr6+)	
	tion of	Less than	
	intentional	1000 ppm	
	use and		
	less than 100		
	ppm		

	Allowable concentrations		
Banned substances: 4 heavy metals in packaging materials (Cd and its	per each homogeneous mate-		
compounds, Pb and its compounds, Hg and its compounds, and Cr6+ com-	rial		
pounds) / Applications	Controlled Regulated		
	values	values	
Packaging materials for shipping of Sanken products to customers	Prohibition of	Less than	
e.g. handles, wooden frames, foils, trays, reels, magazine including stoppers,	intentional	100 ppm	
sticks, bags, cushions, staples, sheets,	use for	for total of	
wraps, corrugated cardboards, paintings, inks, tapes, binding bands, labels,	Cd, Pb, Hg,	Cd, Pb, Hg,	
bulk cases.	and Cr6+	and Cr6+	
■Except for boxes for transporting products which do not contaminate prod-	and less than		

ucts with prohibited substances when it comes into contact.	50 ppm for
(Note) This regulation is based on Packaging Directive.	total of
	Cd, Pb, Hg,
	and Cr6+
	and less than
	5 ppm
	of Cd for
	plastics,
	paints, and
	inks

Banned substances: Polybrominated biphenyls (PBBs), Polybrominated diphenylethers (PBDEs)(not excluding deca BDE) / Applications	Allowable concentrations per each homogeneous material Controlled Regulated values values			
All applications. (Excluding applications: Testing, research, measurement.)	(PBBs) Pro-	(PBBs)		
(Note)	hibition of	Less than		
It is prohibited to contain any of them in the packing and packaging materi-	intentional	1000 ppm		
als in consideration of cutomers'request.	use and			
	less than 100			
	ppm			
	(PBDEs) Pro-	(PBDEs)		
	hibition	Less than		
	of intentional	1000 ppm		
	use and			
	less than 100			
	ppm			

	Allowable concentrations		
Banned substances : Bis (2-ethylhexyl) phthalate[another name:Di	per each homogeneous mate-		
(2-ethylhexyl) phthalate (DEHP or DOP)], Benzyl butyl phthalate (BBP),	rial		
Dibutyl phthalate (DBP), Diisobutyl phthalate(DIBP) / Applications	Controlled Regulated		
	values	values	
All applications. (Excluding applications: Testing, research, measurement.)	Prohibition	Less than	
	of intentional	1000 ppm	
	use and		
	less than 500		

ppm	

Table 5-2 RoHS substances

(Summary version of Table

5-1)

RoHS substanc- es		Cd		Pb		Hg/Cr ⁶⁺ /PBBs/PBDEs		DEHP or DOP / BBP / DBP / DIBP			
Ap	plication	ons	Con- trolled values	Regu- lated values	Con- trolled values	Reg late valu	ed	Controlled values (each substance)	Regulated values (each substance)	Con- trolled values (each sub- stance)	Regulated values (each substance)
	Plast and i	ics, paints, nks	5	100	50	300)*	100	1000	500	1000
· ·	Sol der	Lead free solders			500	100	00				
products	s	Lead contained solders	20	100				100	1000	500	1000
nken	Electroless nickel plating		50	100	750	100	00	100	1000	500	1000
Sa	Othe	rs	50	100	500	100	00	100	1000	500	1000
Pa	Packaging materials Controlled		d values	d values Reg			Regulated values				
for	for shipping of (Cd+Pb+H	[g+Cr6+: 5 0	0		Cd+Pb+Hg+Cr6+: 100				
Sanken products Cd for pla			· •	nts, and inks: 5 PBBs, PBDEs: 1000 (each substance)				e)			
to	custom	iers	PBBs, PBDEs: 100 (each substance)								

- Unit of controlled value and regulated value: "Less than __ ppm" per each homogeneous material
 Intentional use of RoHS substances is prohibited regardless of the content density, excluding Pb in electroless nickel plated.
- RoHS/ELV exemptions are allowed. However, RoHS exemption for deca BDE is not allowed.
- * US/California Proposition 65 Case

Table 5-3 Other Banned Substances

				Allowable
				concentrations
Banned substances	CAS №	EC №	Applications	per each ho-
				mogeneous
				material
Dibutyl tin compounds	-	-	All applications	Less than
(DBTs)				1000ppm

				Allowable
				concentrations
Banned substances	CAS №	EC №	Applications	per each ho-
				mogeneous
				material
Dioctyl tin compounds	-	-	If the following cases apply to, the use	Less than
(DOTs)			of chemical	1000ppm
			substances is prohibited	
			■Being used as textile intended to	
			contact with the skin and	
			two-component room temperature	
			vulcanization molding kits.	
			■Products for childcare.	
Trimethyl tin com-	-	-	All applications	Prohibition of
pounds(TMTs)				intentional use
Triethyl tin com-	-	-		And less than
pounds(TETs)				1000 ppm
Tripropyl tin com-	-	-		(each sub-
pounds(TPTs)				stance)
Tributyl tin compounds	-	-		
(TBTs)				
[Including				
Bis(tributyltin) ox-				
ide (TBTO)]				
Triphenyl tin com-	-	-		
pounds (TPTs)				
Polychlorinated bi-	-	-	All applications	Prohibition of
phenyls (PCBs)				intentional use
Polychlorinated naph-	-	-	All applications	
thalenes (PCNs)				
(more than 1 chlorine				
atoms)				
Polychlorinated ter-	-	-	All applications	
phenyls (PCTs)				
Short-chain chlorinated	85535-84-	287-476-5	All applications	
paraffins (SCCPs)	8			
(carbon chain length of				
10-13)				
		I	l	

	3KG1-000						
Banned substances	CAS №	EC №	Applicat	ions	Allowable concentrations per each homogeneous material		
Medium Chain Chlorinated Paraffins	85535-85- 9 etc.	287-477-0 etc.	All applications	All applications			
(MCCP) (carbon chain							
length of 14-17)							
Polyvinyl chloride	9002-86-2	-	Binding bands	Decorative			
(PVC)			(for bundling	panels			
(including its mixtures			connecting cords,	• Labels			
and its copolymers)			etc.;	• Sheets			
			the same as "bind-	• Laminates			
			ing ties")				
			• Heat shrink tubes				
			• Insulating plates				
			Flexible flat cables	(for specific cus-			
			tomers)				
			Other applications that Sanken group				
			individually specify to suppliers				
			Exemptions				
			In cases where: quali	ty such as safety			
			cannot be maintained	d; procurement is			
			difficult; materials	are specified by			
			law or regulation; ma	aterials are speci-			
			fied by the customer,	etc.			
Declorane Plus (DP)	13560-89-	-	All applications				
	9		Scheduled to be bann	ed			
	135821-0						
	3-3						
	135821-7						
D + 12 1	4-8		A 11				
Pentachlorophenol	87-86-5	-	All applications				
(PCP)	110-74 1	204-072.0	POPs Convention And	nex A			
Hexachlorobenzene	118-74-1	204-273-9	All applications				
Mirex	2385-85-5	219-196-6					
Hexachlorobu-	87-68-3	201-765-5					
ta-1,3-diene							

Banned substances Pentachlorobenzene	CAS № 608-93-5	EC № 210-172-5	Applications	Allowable concentrations per each homogeneous material
α-,β-,γ-Hexachlorocyclo	α-319-84-	α-206-270-8		
hexane	6	u 200 270 8		
nexane	6-319-85- 7	в-206-271-3		
	γ-58-89-9	γ-200-401-2		
Asbestos	-	-	All applications	
Specific azo compounds	-	-	Leather, textile, and other products	
(forming specific amines			that may come into direct and pro- longed contact	
			with human skin (e.g. ear pads of	
			headphones)	
Ozone depleting sub-	-	-	All applications	
stances			(Note) Use of ozone depleting sub-	
(target substances of			stances in the	
Montreal Protocol)			manufacturing process is prohibited in	
			addition to contain in products.	
Radioactive substances	-	-	All applications	
Formaldehyde	50-00-0	200-001-8	Wooden products (e.g. speakers, racks)	
Beryllium oxide	1304-56-9	215-133-1	All applications	
Cobalt chloride	7646-79-9	231-589-4	Indicator of desiccants (e.g. silica gel)	
			that are shipped with Sanken prod-	
			ucts (for specific customers)	
			(Note) Used as a material that discol-	
DEOG			ored by moisture absorption	
PFOS	-	-	All applications	
(Perfluorooctanesul-				
fonic acid and its salt)				
and its sail/				

				A11 11
				Allowable
				concentrations
Banned substances	CAS №	EC №	Applications	per each ho-
				mogeneous
				material
PFOA	-	-	Impurities must not exceed the fol-	
(Perfluorooctanoic acid			lowing level of content by percentage	
and its salt)			and amount.	
			· Content by percentage in Prepara-	
			tion: 0.005% by weight	
			· Content by percentage in Materials:	
			0.1% by weight	
			• Amount in coated materials: 1µg/m2	
			[Exemption (PFOS,PFOA)]	
			■Photo resist or anti reflective coat-	
			ings for	
			photolithographs process	
			■Photo coatings used to films, docu-	
			ments, or printing plates.	
Perfluorohexanesul-	-	-	All applications	
fonic acid (PFHxS) and				
its salts and				
PFHxS-related sub-				
stances				
Perfluorocarboxylic ac-	-	-	All applications	
ids (C9-C14 PFCA),			Restrictions on use and marketing	
their salts, and C9-C14			· Total of C9-C14 PFCAs and their	
PFCA-related sub-			salts <25 ppb	
stances			• Total of C9-C14 PFCAs-related	
			substances <260 ppb	
Long-Chain Perfluoro-	-	-	All applications	
carboxylic Acids				
(LC-PFCAs) and their				
salts and related sub-				
stances				
Specific phthalates(the			"Toys which can be put into the mouth	Prohibition of
following three sub-			and plastic products for childcare" for	intentional use
stances)			specific customers	and less than
	I	I		

Banned substances	CAS №	EC №	Applications	Allowable concentrations per each homogeneous material
(4)Di-"isononyl"	28553-12-	249-079-5	(Note) This regulation is based on	1000 ppm for
phthalate	0		Directive 2005/84/EC.	total of these
(DINP)	68515-48-		Mainly used as plasticizers for PVC	three sub-
() =	0		(Use for products to China has been	stances
(5)Di-"isodecyl"	26761-40-	247-977-1	prohibited as of January 1, 2014)	
phthalate	0			
(DIDP)	68515-49-			
(a) D:	1	204.014.5		
(6) Di-n-octyl phthalate (DNOP)	117-84-0	204-214-7		
dimethyl	624-49-7	210-849-0	All applications	Prohibition of
fumarate(DMF)	024 49 7	210 649 0	(Note) This regulation is based on Di-	intentional use
rumarate(DMT)			rective 2009/251/EC.	intentional use
			Mainly used as prevention of spread of	
			mold	
Aldrin	309-00-2	206-215-8	All applications	
Dieldrin	60-57-1	200-484-5		
Endrin	72-20-8	200-775-7		
DDT(Chlorophenothane	50-29-3	200-024-3		
)				
Chlordanes	57-74-9	200-349-0		
N,N'-ditolyl-p-,N-tolyl-	-	-		
N'-xylyl-p-,N,N'-dixylyi-				
p-phenylenediamine				
2,4,6-tri-tert-butylphen	732-26-3	211-989-5		
ol				
Toxaphene	8001-35-2	232-283-3		
Kelthane	115-32-2	115-32-2		
2-(2H-benzotriazol-2-yl)	3846-71-7	223-346-6		
-4,6-di-tert-butylphenol				
Chlordecone	143-50-0	-		
Fluorinated greenhouse	-	-		
gases(HFC,PFC,SF6)				

Banned substances	CAS №	EC №	Applications	Allowable concentrations per each homogeneous material
Tris(2,3-dibromopropyl)	126-72-7	204-799-9	Textile which intends to come into	
phosphate(TRIS)	F4F FF 1	200 000 *	contact with the skin directly	
Tris (1-aziridinyl) phosphine oxide(TCEP)	545-55-1	208-892-5		
Tris(2-chloroethyl)phos phate (TCEP)	115-96-8	204-118-5	Flame retardants used in plastics, resins, textile, and fabric. (Delivery has been prohibited as of January 1, 2014)	less than 1000 ppm
Tris(2-chloroisopropyl)	13674-84-	237-158-7	(Vermont, USA)	
phosphate (TCPP)	5			
Tris(1,3-dichloro-2-prop	13674-87-	237-159-2		
yl) phosphate (TDCPP)	8			
Hexabromocyclododec-	3194-55-6	221-695-9	All applications	Prohibition of
ane(HBCDD)	25637-99-	247-148-4	POPs Convention Annex A	intentional use
	4			
	(Isomeric			
	mixture)			
Decabromodiphenyl	1163-19-5	214-604-9		
ether (DecaBDE)				
Diarsenic trioxide	1327-53-3	215-481-4	Antifoam agents and fining agents for	
Diarsenic pentaoxide	1303-28-2	215-116-9	LCD panels (including cover glasses,	
			touch screens, and backlights)	
			(Delivery has been prohibited as of	
			January1, 2014)	
Simazine	122-34-9	204-535-2	Used as herbicide (It is specified as	
			water pollution agricultural chemicals	
			by Agricultural Chemicals Regulation	
			Law.)	
Ethyl p-nitrophenyl	2104-64-5	218-276-8	Used as organic phosphorus pesticide.	
Endosulfan	115-29-7	204-079-4	Pesticide	

				A111.1.
				Allowable
				concentrations
Banned substances	CAS №	EC №	Applications	per each ho-
				mogeneous
				material
Benzenamine,	68921-45-		Additives in the lubricating oil (anti-	
N-phenyl-, reaction	9		oxidant)	
products with styrene				
and				
2,4,4-trimethylpentene(
BNST)				
Polycyclic Aromatic			rubber or plastic components that	Ben-
Hydrocarbon(PAH)			come into direct as well as prolonged	zo[a]pyrene:
(1) Naphthalene	91-20-3	-	or shortterm repetitive contact with	20mg/kg
(2) Acenaphthylene	208-96-8	-	the human skin or the oral cavity :	Total of the 18
(3) Acenaphthene	83-32-9	-	Customer special request	types of
(4) Fluorene	86-73-7	-		PAH(EPA):
(5) Phenanthrene	85-01-8	-		200
(6) Anthracene	120-12-7	-		mg/kg
(7) Fluoranthene	206-44-0	-		
(8) Pyrene	129-00-0	-		
(9) Benzo(a)anthracene	56-55-3	-		
(10) Chrysene	218-01-9	-		
(11) In-	193-39-5	-		
deno(1,2,3-cd)pyrene				
(12) Ben-	205-99-2	-		
zo(b)fluoranthene				
(13) Ben-	207-08-9	-		
zo(k)fluoranthene				
(14) Benzo(a)pyrene	50-32-8	-		
(15) Diben-	53-70-3	-		
zo(a,h,)anthracene				
(16) Ben-	191-24-2	-		
zo(g,h,i,)pyrylene				
(17) Ben-	205-82-3	-		
zo(j)fluoranthene				
(18) Benzo(e)pyrene	192-97-2	-		

Banned substances	CAS №	EC №	Applications	Allowable concentrations per each homogeneous material
Chemicals that are	-	-	All applications	Prohibition of
listed in the GADSL list				intentional use
Naphthalene	91-20-3	-	All applications	Prohibition of
				intentional use
Refractories, fibers,	142844-0	-	All applications	Prohibition of
aluminosilicate	0-6			intentional use
Phenol, isopropyliert,	68937-41-	273-066-3	All applications	Prohibition of
Phosphat (3:1)	7	273-066-3		intentional use
Pentachlorothiophenol	199-40-9	_	All applications	Prohibition of
	133-49-3			intentional use
UV-328	25973-55-	247-294-9	All applications	Prohibition of
	1	247-384-8	Scheduled to be banned	intentional use
Substances subject to	_	_	All applications	Prohibition of
the POPs Convention	_	_		intentional use

Points to remember

However, it does not remain in the final product.

In addition, there is a mechanism that does not affect air, soil and human body in the process.

Table 5-4 Banned Substances for batteries

Banned substances	Applications	Allowable concentrations per total weight of each battery (Regulated values)
Cadmium (Cd)	Ni-Cd batteries	(Cd) Prohibition regardless of the
and its compounds		density
	Lead-acid batteries (excluding inten-	(Pb) Prohibition regardless of the
Lead (Pb) and its com-	tional	density
pounds	purchase by Sanken group)	
	Batteries other than lead-acid batteries	(Pb) Less than 0.4_wt%
	Button cell batteries	(Hg) Less than 2 wt%
Mercury (Hg)	Batteries other than button cell batteries	(Hg) Less than 0.0005wt%
and its compounds	Carbon zinc batteries and alkaline bat-	(Hg) Less than 0.0001wt%
	teries designed for use in China	

Table 5-5 REACH SVHC

2025	6/25	upd	late

Nº	REACH SVHC(Controlled substances)			Suggestion reason	Mainly	use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)	

^{*} The use of chemical substances indispensable for manufacturing is not limited.

Nº	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
1	Anthracene	120-12-7	204-371-1	PBT	A preservative and an insecticide of the wood, paint, carbon black
2	4,4'- Diaminodiphenyl- methane	101-77-9	202-974-4	CMR	The raw materials of the polyurethane intermediate
3	Dibutyl phthalate (DBP)	84-74-2	201-557-4	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - human health)	A resinous plasticizer(Vinyl Chloride, vinyl acetate, nitrocellulose, methacrylic acid etc)
4	Cobalt dichloride	7646-79-9	231-589-4	CMR	Raw materials for paint, plating, ink desiccating agents
5	Diarsenic pentaoxide	1303-28-2	215-116-9	CMR	Arsenic compound drug, prevention of decay / ant on wood
6	Diarsenic trioxide	1327-53-3	215-481-4	CMR	Raw materials of the metal arsenic, clearing agent at the time of the flint glass and liquid crystal glass production
7	Sodium dichromate, de- hydrate	7789-12-0	234-190-3	CMR	An inorganic chrome pigment, metal surface processing (Prevention of corrosion)
8	5-tert-butyl-2,4,6-trinitro -m-xylene (musk xylene)	81-15-2	201-329-4	vPvB	Compounding spice(Perfume, soap, etc)
9	Bis (2-ethyl(hexyl)phthalate) (DEHP)	117-81-7	204-211-0	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - environment) Endocrine disrupting properties (Article 57(f) - human health)	Resin(Chloroethylene, nitrocellulose, methacrylic acid etc), A plasticizer(Chloride rubber, etc), Paint, pigment, adhesive, the additive of the lubricating oil
10	Hexabromocyclododec- ane (HBCDD)	25637-99- 4	247-148-4	PBT	Incombustibility agent

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
11	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84- 8	287-476-5	PBT	Incombustibility agent, a plasticizer
12	Bis(tributyltin)oxide	56-35-9	200-268-0	PBT	Sterilization , mold prevention,bottom of a ship paint additive
13	Lead hydrogen arsenate	7784-40-9	232-064-2	CMR	A pesticide (lapse in Japan)
14	Triethyl arsenate	15606-95- 8	427-700-2	CMR	
15	Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - human health)	a plasticizer of the nitrocellulose resin and vinyl chloride resin
16	Anthracene oil	90640-80-	292-602-7	PBT	Raw material of Pure Anthracene, Preservative,waterproof material
17	Antracene oil,paste,distin,Lights	91995-17- 4	295-278-5	PBT	Raw material of Pure Anthracene, Preservative,waterproof material
18	Antracene oil,paste,fraction	91995-15-2	295-275-9	PBT	Raw material of Pure Anthracene, Preservative,waterproof material
19	Antracene oil,-low	90640-82-	292-604-8	PBT	Raw material of Pure Anthracene, Preservative,waterproof material
20	Antracene oil,paste	90640-81-	292-603-2	PBT	Raw material of Pure Anthracene, Preservative,waterproof material

No	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
21	Coal tar pitch,high temperature	65996-93- 2	266-028-2	CMR	Carbon electrodes, graphite electrodes, paint
22	Aluminosili- cate,RefractoryCeramicF ibres			CMR	Refractory ceramic fiber, fire- proof agent
23	ZirconiaAluminosili- cate,RefractoryCeramicF ibres			CMR	Refractory ceramic fiber, fire- proof agent
24	2,4-Dinitrotoluene	121-14-2	204-450-0	CMR	Synthetic raw material of Toluene-diisocyanate
25	Diisobutyl phthalate(DIBP)	84-69-5	201-553-2	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - human health)	Plasticizer
26	Lead chromate	7758-97-6		CMR	Pigment, Bleach
27	Lead chromate molyb- date surfate red(CI Pib- ment Red 104)	12656-85- 8	235-759-9	CMR	Pigment
28	Lead sulfochromate yellow (C.I.Pigment Yellow 34)	1344-37-2	215-693-7	CMR	Pigment
29	Tris(2-chloroethyl)phosp hate	115-96-8	204-118-5	CMR	Flame retardant
30	Acrylamide	79-06-1	201-173-7	CMR	Paper processing, waste water treatment, adhesives, laundry starches
31	Trichloroethylene	79-01-6	201-167-4	CMR	Cleaning and degreasing of metal parts, solvent in adhesives
32	Boric acid	10043-35- 3/11113-5 0-1	233-139-2 / 234-343-4	CMR	Glass,ceramics,flame-retardants ,food-additives, fertilizers, rub- bers
33	Disodium tetraborate, anhydrous	1330-43-4 12179-04- 3	215-540-4	CMR	Glass,glass-fibers,ceramics,fertil izers,cleaners

Nº	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
		1303-96-4			
34	Tetraboron disodium	12267-73-	235-541-3	CMR	Glass,glass-fibers,ceramics,fertil
	heptaoxide, hydrate	1			izers,cleaners
35	Sodium chromate	7775-11-3	231-889-5	CMR	It is mainly used as an interme-
					diate in
					the manufacture of other chro-
					mium
					compounds as well as a labora-
					tory
					analytical agent
36	Potassium chromate	7789-00-6	232-140-5	CMR	Coating of met-
					als,reagents,textiles
37	Ammonium dichromate	7789-09-5	232-143-1	CMR	Tanned leather, in the manu-
					facture of
					photosensitive screens, metal
	D		201 000 0	CLAD	treatment
38	Potassium dichromate	7778-50-9	231-906-6	CMR	Chrome steel plate, treatment
					and
39	Cobalt(II)sulphate	10124-43-	000-004-0	CMR	coating of metals, tanned leather
39	Coban (11) sulphate	3	233-334-2	CMR	Manufacture of catalysis and driers,
		0			surface treatments, pigment,
					red
40	Cobalt(II)dunitrate	10141-05-	233-402-1	CMR	Manufacture of catalysis and
	0000000	6		01121	surface
					treatment ,batteries
41	Cobalt(II)carbonate	513-79-1	208-169-4	CMR	Manufacture of catalysis and
					feed
					Additive, pigment, pale-rouge
42	Cobalt(II)diacetate	71-48-7	200-755-8	CMR	Manufacture of catalysis and
					surface
					treatment, alloys, adhesives,
					feed
					additive, pink-rouge
43	2-Methoxyethanl	109-86-4	203-713-7	CMR	Solvent for ink, chemical inter-
					mediate and additive for fuels,
					paints

Nº	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
44	2-Ethoxyethanole	110-80-5	203-804-1	CMR	Solvent for paint and ink, chemical intermediate,
45	Chomium trioxide	1333-82-0	215-607-8	CMR	Pigment, manufacture of catalysis, surface treatment
46	Acids generated from	7738-94-5	231-801-5	CMR	Pigment, manufacture of cataly-
	chromium trioxide and their oligomers	13530-68- 2	236-881-5		sis, surface treatment
47	2-Ethoxyethyl acetate	111-15-9	203-839-2	Toxic for reproduction (article 57c)	Solvent for paint and ink
48	1,2-Benzenedicarboxylic acid, di-C7-11-branched(DHN UP)	68515-42- 4	271-084-6	Toxic for reproduction (article 57c)	Plasticizer,Dye, Pigment,Paint,Ink, Adhesive
49	Hydrazine	7803-57-8 302-01-2	206-114-9	Carcinogenic (article 57 a)	Foaming agent for rubber and plastic
50	1-Methyl-2-pyrrolidone	872-50-4	212-828-1	Toxic for reproduction (article 57c)	Plasticizer, Stabilizers, Special ink
51	1,2,3-Trichloropropane	96-18-4	202-486-1	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)	Solvent, Cross-linking agent
52	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich(DIHP)	71888-89- 6	276-158-1	Toxic for reproduction (article 57c)	Plasticizer, Dye, Pigment, Paint, Ink, Adhesive
53	Calcium arsenate	7778-44-1	231-904-5	Carcinogenic (article 57 a)	insect killer, insect repellent
54	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	Carcinogenic (article 57 a)	Solvent, Solvent of battery electrolyte, Adhesive
55	Lead dipicrate	6477-64-1	229-335-2	Toxic for reproduction (article 57 c)	Detonator
56	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	Toxic for reproduction (article 57 c)	Solvent for textile manufacturing, cleaning agent, remover

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
57	Arsenic acid	7778-39-4	231-901-9	Carcinogenic	Bubble removal in the manu-
				(article 57 a)	facture of
					multilayer printed wiring board,
					Reagent
58	2-Methoxyaniline	90-04-0	201-963-1	Carcinogenic	Dyestuff
	(o-Anisidine)			(article 57 a)	
59	Trilead diarsenate	3687-31-8	222-979-5	Carcinogenic and	insect killer,insect repellent
				toxic	
				for reproduction	
				(articles 57 a and	
				57 c)	
60	1,2-dichloroethane	107-06-2	203-458-1	Carcinogenic	Solvent, intermediate
				(article 57 a)	
61	4-(1,1,3,3-Tetramethylbu	140-66-9	205-426-2	Equivalent level of	Raw material of oil solvent phe-
	tyl)phenol; 4-tert-octyl			concern having	nol resin, Compounding ingre-
	phenol			probable serious	dient for rubber
				effects to the	
				environment	
				(article 57 f)	
62	Formaldehyde, oligo-	25214-70-	500-036-1	Carcinogenic	Intermediate, Curing agent,
	meric reaction	4		(article 57 a)	Adhesive,
	products with aniline				ion exchange resin
	(technical MDA)				
63	Bis(2-methoxyethyl)	117-82-8	204-212-6	Toxic for reproduc-	Plasticizer, Ink, Adhesive, Pig-
	phthalate			tion (article 57 c)	ment,
					paints, Dyestuff
64	Lead diazide, Lead azide	13424-46-	236-542-1	Toxic for reproduc-	Detonator
		9		tion (article 57 c)	
65	Lead styphnate	15245-44-	239-290-0	Toxic for reproduc-	Gunpowder, detonating powder
		0		tion (article 57 c)	
66	2,2'-dichloro-4,4'-methyle	101-14-4	202-918-9	Carcinogenic	Hardening accelerator, Curing
	nedianiline (MOCA)			(article 57 a)	agent
					of polyurethane, Extend materi-
					al of
					high melting temperature type
					hard
					segment

Nº	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
67	Phenolphthalein	77-09-8	201-004-7	Carcinogenic	Indicator, pH indicator, and ink
				(article 57 a)	that
					Disappears
68	Potassiumhydroxyoc-	11103-86-	234-329-8	Carcinogenic	Paint
	taoxodiz-	9		(article 57 a)	
	incatedi-chromate				
69	Pentazinc chromate oc-	49663-84-	256-418-0	Carcinogenic	Colorant
	tahydroxide	5		(article 57 a)	
70	Dichromium	24613-89-	246-356-2	Carcinogenic	surface treatment
	tris(chromate)	6		(article 57 a)	
71	Strontium chromate	7789-06-2	232-142-6	Carcinogenic	Yellow pigments
				(article 57 a)	
72	[4-[4,4'-bis(dimethylamin	548-62-9	208-953-6	Carcinogenic (Arti-	Colored paper,Ballpoint pen ink
	o) benzhydryli-			cle 57a)	and
	dene]cyclohexa-2,5-dien-				printer ink,Coloring drugs, dried
	1-ylidene]dimethylammo				plant,Marker to increase the
	nium chloride				visibility of
	(C.I. Basic Violet 3)				the liquid,In medical research,
	with $\geq 0.1\%$ of Michler's				microorganisms and coloring
	ketone				Stain bacteria Dye
	(EC No. 202-027-5) or				
	Michler's				
	base (EC No. 202-959-2)]				
73	1,3,5-tris[(2S and	59653-74-	423-400-0	Mutagenic (Article	hardener of Resin and coating
	2R)-2,3-epoxypropyl]-1,3,	6		57b)	
	5-triazine-2,4,6-(1H,3H,5				
	H)-trione				
	(B-TGIC)				
74	1,2-bis(2-methoxyethoxy)	112-49-2	203-977-3	Toxic for reproduc-	Solvent, Processing
	ethane (TEGDME;			tion (Article 57 c)	aid,Refrigerant,Absorbent,Acid
	triglyme)				gas,cleaning agent,Brake fluid
75	4,4'-bis(dimethylamino)-	561-41-1	209-218-2	Carcinogenic	Writing ink,Other ink,Dye
	4"-(methylamino)trityl			(Article 57a)	
	alcohol [with $\geq 0.1\%$ of				
	Michler's ketone (EC No.				
	202-027-5) or Michler's				
	base (EC No. 202-959-2)]				

No	REACH SVHC(Controlled substances)		Suggestion reason	Mainly use, handling	
	Material name	CAS No.	EC No.		etc(Japan,EU)
76	Lead(II) bis(methanesulfonate)	17570-76- 2	401-750-5	Toxic for reproduction (Article 57 c)	Plating of electronic components (electrolytic, electroless)
77	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	Toxic for reproduction (Article 57 c)	Solvent, Processing aid, Refrigerant, Absorbent, Acid gas cleaning agent, Lithium battery electrolyte solvent
78	Diboron trioxide	1303-86-2	215-125-8	Toxic for reproduction (Article 57 c)	Glass, Ceramics, Flame retard- ants, Catalyst, Adhesive, Ink /paint, Insecticide and fungicide
79	α,α-Bis[4-(dimethylamin o)phenyl]-4 (phenylamino)naphthalene-1-met hanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	6786-83-0	229-851-8	Carcinogenic (Article 57a)	Printing and writing ink Colored paper CFCs and glass cleaning agent
80	1,3,5-Tris(oxiran-2-ylmet hyl)-1,3,5-triazinane-2,4, 6-trione (TGIC)	2451-62-9	219-514-3	Mutagenic (Article 57b)	Curing agent and coating resin (Curing agent for polyester) powder coating, Solder resist ink, Semiconductor sealing resin, Stabilizer (heat resistance, rigidity hardness, improved reactivity) of flame-retardant plastic
81	4,4'-bis(dimethylamino)b enzophenone (Michler's ketone)	90-94-8	202-027-5	Carcinogenic (Article 57a)	Additives of Dry film products, pigments, dyes
82	N,N,N',N'-tetramethyl-4, 4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	Carcinogenic (Article 57a)	Dye material,Organic synthesis, intermediate,Applications Re- search and Development

No	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
83	[4-[[4-anilino-1-naphthyl	2580-56-5	219-943-6	Carcinogenic	Manufacture of ink-cleaner
][4-(dimethylamino)phen			(Article 57a)	coating,Dye (Other moldings /
	yl]methylene]cyclohexa-				plastic product / woven / pack-
	2,5-dien-1-ylidenel di-				aging / paper),Diagnostic and
	methylammonium chlo-				analytical applications
	ride				
	(C.I. Basic Blue 26)				
	with $\geq 0.1\%$ of Michler's				
	ketone (EC No.				
	202-027-5) or Michler's				
	base (EC No. 202-959-2)]				
84	Formamide	75-12-7	200-842-0	Toxic for reproduc-	Intermediate, Solvent, Synthetic
				tion (Article 57 c)	organic chemicals
85	Pyrochlore, antimony	8012-00-8	232-382-1	Toxic for reproduc-	Pigment
	lead yellow			tion (Article 57 c)	
86	6-methoxy-m-toluidine	120-71-8	204-419-1	Carcinogenic (Arti-	Raw material, Intermediate
	(p-cresidine)			cle 57a)	
87	Henicosafluoroundeca-	2058-94-8	218-165-4	vPvB (Article 57 e)	Surface-active agent
	noic acid				
88	Hexahydro-	25550-51-	247-094-1	Equivalent level of	Epoxy hardener
	methylphthalic anhy-	0,	,	concern having	
	dride [1], Hexahy-	19438-60-	243-072-0	probable serious	
	dro-4-methylphthalic	9,	,	effects to human	
	anhydride [2], Hexahy-	48122-14-	256-356-4	health (Article 57 f)	
	dro-1-methylphthalic	1,	,		
	anhydride [3], Hexahy-	57110-29-	260-566-1		
	dro-3-methylphthalic	9			
	anhydride [4] [The indi-				
	vidual isomers [2], [3]				
	and [4] (including their				
	cis- and trans- stereo				
	isomeric forms) and all				
	possible combinations of				
	the isomers [1] are cov-				
	ered by this entry]				

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
89	Cyclohex-	85-42-7,	201-604-9	Equivalent level of	Epoxy hardener
	ane-1,2-dicarboxylic an-	13149-00-	,	concern having	
	hydride [1],	3,	236-086-3	probable serious	
	cis-cyclohexane-1,2-dicar	14166-21-	,	effects to human	
	boxylic anhydride [2],	3	238-009-9	health (Article 57 f)	
	trans-cyclohexane-1,2-di				
	carboxylic anhydride [3]				
	[The individual cis- [2]				
	and trans- [3] isomer				
	substances and all pos-				
	sible combinations of the				
	cis- and trans-isomers [1]				
	are covered by this en-				
	try]				
90	Dibutyltin dichloride	683-18-1	211-670-0	Toxic for reproduc-	Rubber additive, PVC Plasticizer
	(DBTC)			tion (Article 57 c)	
91	Lead	13814-96-	237-486-0	Toxic for reproduc-	Plate electrolyte
	bis(tetrafluoroborate)	5		tion (Article 57 c)	
92	Lead dinitrate	10099-74-	233-245-9	Toxic for reproduc-	Synthesis Raw material
		8		tion (Article 57 c)	
93	Silicic acid, lead salt	11120-22-	234-363-3	Toxic for reproduc-	Glass Raw material
		2		tion (Article 57 c)	
94	4-Aminoazobenzene	60-09-3	200-453-6		Raw material, Intermediate
				cle 57a)	
95	Lead titanium zirconium	12626-81-	235-727-4	Toxic for reproduc-	electronic ceramics Raw materi-
0.0	oxide	2	24 - 22 - 2	tion (Article 57 c)	al
96	Lead monoxide (lead ox-	1317-36-8	215-267-0	Toxic for reproduc-	Glass Raw material, Stabiliza
07	ide)	05 50 4	909 499 9	tion (Article 57 c)	tion agent Raw material
97	o-Toluidine	95-53-4	202-429-0	Carcinogenic (Arti-	Raw material, Intermediate
00	9 -41-19 - 41 10 /9	149000 0	401 150 5	cle 57a)	
98	3-ethyl-2-methyl-2-(3-me	143860-0	421-150-7	Toxic for reproduc-	-
	thyl-	4-2		tion (Article 57 c)	
	butyl)-1,3-oxazolidine				

SKGP-0001

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
99	Silicic acid (H2Si2O5),	68784-75-	272-271-5	Toxic for reproduc-	Lamp fluorescing agent
	barium salt (1:1),	8		tion (Article 57 c)	
	lead-doped				
	[with lead (Pb) content				
	above the applicable ge-				
	neric concentration limit				
	for 'toxicity for reproduc-				
	tion' Repr. 1A (CLP) or				
	category 1 (DSD); the				
	substance is a member of				
	the group entry of lead				
	compounds, with index				
	number 082-001-00-6 in				
	Regulation (EC) No				
	1272/2008]				
100	Trilead	1319-46-6	215-290-6	Toxic for reproduc-	Electronic ceramics Raw mate-
	bis(carbonate)dihydroxid			tion (Article 57 c)	rial
	е				
101	Furan	110-00-9	203-727-3	Carcinogenic	-
				(Article 57a)	
102	N,N-dimethylformamide	68-12-2	200-679-5	Toxic for reproduc-	Synthesis, Solvent
				tion (Article 57 c)	
103	4-(1,1,3,3-tetramethylbu	-	-	Equivalent level of	Surface-active agent
	tyl)phenol, ethoxylated			concern having	
	[covering well-defined			probable serious	
	substances and UVCB			effects to the	
	substances, polymers			environment	
	and homologues]			(Article 57 f)	

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
•	Material name	CAS No.	EC No.		etc(Japan,EU)
104	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a	CAS No.	EC No.	Equivalent level of concern having probable serious effects to the environment (Article 57 f)	etc(Japan, EU) Surface-active agent, Ink, Paint
	combination thereof]				
105	4,4'-methylenedi-o-toluid ine	838-88-0	212-658-8	Carcinogenic (Article 57a)	Raw material, Solvent, Intermediate
106	Diethyl sulphate	64-67-5	200-589-6	Carcinogenic (Article 57a); Mutagenic (Article 57b)	Raw material, Solvent, Intermediate
107	Dimethyl sulphate	77-78-1	201-058-1	Carcinogenic (Article 57a)	Raw material Solvent, Intermediate
108	Lead oxide sulfate	12036-76- 9	234-853-7	Toxic for reproduction (Article 57 c)	Battery electrode
109	Lead titanium trioxide	12060-00-	235-038-9	Toxic for reproduction (Article 57 c)	Electronic ceramics Raw material
110	Acetic acid, lead salt, basic	51404-69- 4	257-175-3	Toxic for reproduction (Article 57 c)	Synthesis Intermediate, Corrosion-resistant Pigment
111	[Phthala- to(2-)]dioxotrilead	69011-06- 9	273-688-5	Toxic for reproduction (Article 57 c)	PVC Stabilization agent
112	Bis(pentabromophenyl) ether (decabromodiphenyl) nyl ether; DecaBDE)	1163-19-5	214-604-9	PBT (Article 57 d); vPvB (Article 57 e)	Flame retardant
113	N-methylacetamide	79-16-3	201-182-6	Toxic for reproduction (Article 57 c)	Solvent

Nº	REACH SVHC(Controlled	REACH SVHC(Controlled substances)		Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
114	Dinoseb	88-85-7	201-861-7	Toxic for reproduc-	Polymer Raw material
	(6-sec-butyl-2,4-dinitrop			tion	
	henol)			(Article 57 c)	
115	1,2-Diethoxyethane	629-14-1	211-076-1	Toxic for reproduc-	Ink,Paint Solvent
				tion	
				(Article 57 c)	
116	Tetralead trioxide sul-	12202-17-	235-380-9	Toxic for reproduc-	Battery electrode, PVC Stabili-
	phate	4		tion	zation
				(Article 57 c)	agent
117	N-pentyl-isopentylphthal	776297-6	-	Toxic for reproduc-	Plasticizer
	ate	9-9		tion	
110	D: 1: (, , ,)	10770 10	00 7 700 0	(Article 57 c)	DVG Gt 1:1: t:
118	Dioxobis(stearato)trilead	12578-12-	235-702-8	Toxic for reproduc-	PVC Stabilization agent
		0		tion (Article 57 c)	
119	Tetraethyllead	78-00-2	201-075-4	Toxic for reproduc-	Gasoline additive
113	Tetraetifyffeau	70 00 2	201 075 4	tion	Gasonne additive
				(Article 57 c)	
120	Pentalead tetraoxide	12065-90-	235-067-7	Toxic for reproduc-	Battery electrode, PVC Stabili-
	sulphate	6		tion	zation
				(Article 57 c)	agent
121	Pentacosafluorotride-	72629-94-	276-745-2	vPvB (Article 57 e)	Surface-active agent
	canoic acid	8			
122	Tricosafluorododecanoic	307-55-1	206-203-2	vPvB (Article 57 e)	Surface-active agent
	acid				
123	Heptacosafluorotetra-	376-06-7	206-803-4	vPvB (Article 57 e)	Surface-active agent
	decanoic acid				
124	1-bromopropane	106-94-5	203-445-0	Toxic for reproduc-	Washing solvent
	(n-propyl bromide)			tion	
				(Article 57 c)	
125	Methoxyacetic acid	625-45-6	210-894-6	Toxic for reproduc-	Intermediate
				tion	
				(Article 57 c)	_
126	4-methyl-m-phenylenedi	95-80-7	202-453-1	Carcinogenic	Raw material, Solvent
	amine (tolu-			(Article 57a)	
	ene-2,4-diamine)				

No	REACH SVHC(Controlled substances)		Suggestion reason	Mainly use,handling	
	Material name	CAS No.	EC No.		etc(Japan,EU)
127	Methyloxirane (Propyl-	75-56-9	200-879-2	Carcinogenic	Raw material, Solvent
	ene oxide)			(Article 57a);	
				Mutagenic	
				(Article 57b)	
128	Trilead dioxide phos-	12141-20-	235-252-2	Toxic for reproduc-	PVC Stabilization agent
	phonate	7		tion	
				(Article 57 c)	
129	o-aminoazotoluene	97-56-3	202-591-2	Carcinogenic	Raw material, Intermediate
				(Article 57a)	
130	1,2-Benzenedicarboxylic	84777-06-	284-032-2	Toxic for reproduc-	Plasticizer
	acid, dipentylester,	0		tion	
	branched and linear			(Article 57 c)	
131	4,4'-oxydianiline and its	101-80-4	202-977-0	Carcinogenic	Raw material, Intermediate
	salts			(Article 57a);	
				Mutagenic	
				(Article 57b)	
132	Orange lead (lead te-	1314-41-6	215-235-6	Toxic for reproduc-	Paint Pigment
	troxide)			tion	
				(Article 57 c)	
133	Biphenyl-4-ylamine	92-67-1	202-177-1	Carcinogenic	Raw material, Intermediate
				(Article 57a)	
134	Diisopentylphthalate	605-50-5	210-088-4	Toxic for reproduc-	Plasticizer
				tion	
				(Article 57 c)	
135	Fatty acids, C16-18, lead	91031-62-	292-966-7	Toxic for reproduc-	PVC Stabilization agent
	salts	8		tion	
				(Article 57 c)	
136	Di-	123-77-3	204-650-8	Equivalent level of	Bloating agent
	azene-1,2-dicarboxamide			concern having	
	(C,C'-azodi(formamide))			probable serious	
				effects to human	
				health (Article 57 f)	
137	Sulfurous acid, lead salt,	62229-08-	263-467-1	Toxic for reproduc-	-
	dibasic	7		tion	
				(Article 57 c)	

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
138	Lead cyanamidate	20837-86-	244-073-9	Toxic for reproduc-	Paint Pigment
		9		tion	
				(Article 57 c)	
139	Cadmium	7440-43-9	231-152-8	Carcinogenic (Arti-	Pigment Plate Battery
				cle 57a); Equivalent	
				level of concern	
				having probable se-	
				rious effects to hu-	
				man health (Article	
				57 f)	
140	Ammonium pentade-	3825-26-1	223-320-4	Toxic for reproduc-	Surface-active agent
	cafluorooctanoate (AP-			tion (Article 57 c);	
	FO))			PBT (Article 57 d)	
141	4-Nonylphenol, branched	-	-	Equivalent level of	Surface-Active Agent, Paint,
	and linear, ethoxylated			concern having	Ink, Industrial Detergent
	[substances with a linear			probable serious	
	and/or branched alkyl			effects to the envi-	
	chain with a carbon			ronment (Article 57	
	number of 9 covalently			f)	
	bound in position 4 to				
	phenol, ethoxylated cov-				
	ering UVCB- and				
	well-defined substances,				
	polymers and homo-				
	logues, which include				
	any of the individual				
	isomers and/or combina-				
	tions thereof]				
142	Pentadecafluorooctanoic	335-67-1	206-397-9	Toxic for reproduc-	Surface-active agent
	acid (PFOA)			tion (Article 57 c);	
				PBT (Article 57 d)	
143	Dipentyl phthalate	131-18-0	205-017-9	Toxic for reproduc-	Plasticizer
	(DPP)			tion (Article 57 c);	

Material name CAS No. EC No. 144 Cadmium oxide 1306-19-0 215-146-2 Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to hu-	
cle 57a); Equivalent level of concern having probable se- rious effects to hu-	e
level of concern having probable serious effects to hu-	
having probable serious effects to hu-	
rious effects to hu-	
man health (Article	
57 f)	
145 1306-23-6 215-147-8 Carcinogenic (Arti- Coloring age	nt
Cadmium sulphide cle 57a);	
Equivalent level of	
concern having	
probable serious	
effects to human	
health (Article 57 f)	
	nical Reagent
4-amino-3-[[4'-[(2,4-diam cle 57a);	
inophe-	
nyl)azo][1,1'-biphenyl]-4-	
yl]azo]	
-5-hydroxy-6-(phenylazo)	
naphtha-	
lene-2,7-disulphonate	
(C.I. Direct Black 38)	
147 Dihexyl phthalate 84-75-3 201-559-5 Toxic for reproduc- Plasticizing A	agent
tion (Article 57 c);	
148 96-45-7 202-506-9 Toxic for reproduc- Organic rubb	per chemicals (vul-
Imidazolidine-2-thione; tion (Article 57 c); canization ac	celerators)
(2-imidazoline-2-thiol)	
149 Trixylyl phosphate 25155-23- 246-677-8 Toxic for reproduc- Vinyl chlorid	le resin flame re-
1 tion (Article 57 c); tardant plas	ticizer for agricul-
ture, Turbin	e flame retardant
hydraulic oil	raw materials such
as power plan	nts

Nº	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
150	Disodium 3,3'-[[1,1'-biphenyl]-4,4'- diylbis(azo)]bis(4-aminon aphtha- lene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	209-358-4	Carcinogenic (Article 57a);	Direct dye, vital stain
151	Lead di(acetate)	301-04-2	206-104-4	Toxic for reproduction (Article 57 c);	Lead compound raw materials, waterproofing agents, analytical reagents, medicines (astringent agents)
152	acid, dihexyl ester, branched and linear	68515-50- 4	271-093-5	Toxic for reproduction (Article 57 c)	Plasticizer
153	Cadmium chloride	10108-64-2	233-296-7	Carcinogenic (Article 57a); Mutagenic (Article 57b); Toxic for reproduction (Article 57c); Equivalent level of concern having probable serious effects to human health (Article 57 f)	Plating agents, pigments, paints, stabilizers, catalyst
154	Sodium perborate; per- boric acid, sodium salt	15120-21- 5;11138-4 7-9	239-172-9 ; 234-390-0	Toxic for reproduction (Article 57 c)	Laundry Detergent, Dishwasher Detergent Bleach Cleaning Products, Cosmetics
155	Sodium peroxometaborate	7632-04-4	231-556-4	Toxic for reproduction (Article 57 c)	Oxidizing bleach, cleaning dis- infectant, preservative, dyeing assistant, quasi-drug raw mate- rial
156	2-(2H-benzotriazol-2-yl)- 4,6-ditertpentylphenol (UV-328)	25973-55-	247-384-8	PBT (Article 57 d); vPvB (Article 57 e)	UV stabilizers, light stabilizers, paints for automobiles, paints for general industry, construction and building materials · For UV · RB effect paint · electronic materials (mainly optical materials)

SKGP - 0001

Nº	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
157	2-benzotriazol-2-yl-4,6-di -tert-butylphenol (UV-320)	3846-71-7	223-346-6	PBT (Article 57 d); vPvB (Article 57 e)	UV absorber
158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-ox o-8-oxa-3,5-dithia-4-stan natetradecanoate (DOTE)	15571-58-	239-622-4	Toxic for reproduction (Article 57 c)	Heat stabilizers such as PVC, hard PVC films and sheets
159	Cadmium fluoride	7790-79-6	232-222-0	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)	Reagent, synthetic intermediate, battery, plating, pigment, contact material
160	Cadmium sulphate	10124-36- 4; 31119-53- 6	233-331-6	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)	Reagent, catalyst, plating (printed circuit board), pigment, battery

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
161	Reaction mass of	-	-	Toxic for reproduc-	-
	2-ethylhexyl			tion (Article 57 c)	
	10-ethyl-4,4-dioctyl-7-ox				
	o-8-oxa-3,5-dithia-4-stan				
	natetradecanoate and				
	2-ethylhexyl				
	10-ethyl-4-[[2-[(2-ethylhe				
	xyl)oxy]-2-oxoethyl]thio]-				
	4-octyl-7-oxo-8-oxa-3,5-di				
	thia-4-stannatetradecan				
	oate (reaction mass of				
	DOTE and MOTE)				
162	1,2-benzenedicarboxylic	68515-51-	271-094-0	Toxic for reproduc-	Adhesives, Ppaints, Plasticiz-
	acid, di-C6-10-alkyl es-	5,68648-9	,272-013-	tion (Article 57 c)	ers,Lubricant
	ters;	3-1	1		
	1,2-benzenedicarboxylic				
	acid, mixed decyl and				
	hexyl and octyl diesters				
	with ? 0.3% of dihexyl				
	phthalate (EC No.				
	201-559-5)				
163	5-sec-butyl-2-(2,4-dimeth	-	-	vPvB (Article 57e)	Aroma chemicals, Soap, Deter-
	yleyelo-				gent
	hex-3-en-1-yl)-5-methyl-				
	1,3-dioxane [1],				
	5-sec-butyl-2-(4,6-dimeth				
	yleyelo-				
	hex-3-en-1-yl)-5-methyl-				
	1,3-dioxane [2] [covering				
	any of the individual				
	stereoisomers of [1] and				
	[2] or any combination				
	thereof]				

SKGP-0001

Nº	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
164	Perfluoro-	375-95-1	206-801-3	Toxic for reproduc-	Production of fluorine polymer
	nonan-1-oic-acid and its	21049-39-		tion (Article 57 c)	process aid / lubricant additive /
	sodium and ammonium	8		PBT (Article 57 d)	Surface-active agent for fire ex-
	salts	4149-60-4			tinguisher / cleaning aids / fiber
					odor control agent / crystal dis-
					play of waterproofing agent
165	Nitrobenzene	98-95-3	202-716-0	Toxic for reproduc-	Synthetic intermediates of dyes
				tion (Article 57 c)	and perfumes
166	2-(2H-benzotriazol-2-yl)-	36437-37-	253-037-1	vPvB (Article 57 e)	Coating, plastic, rubber and
	4-(tert-butyl)-6-(sec-buty	3			cosmetics of UV protection
	l)phenol (UV-350)				agents
167	2,4-di-tert-butyl-6-(5-chl	3864-99-1	223-383-8	vPvB (Article 57 e)	Coating, plastic, rubber and
	orobenzotria-				cosmetics of UV protection
	zol-2-yl)phenol (UV-327)				agents
168	1,3-propanesultone	1120-71-4	214-317-9	Carcinogenic (Arti-	Electrolyte of the lithium ion
				cle 57 a)	battery
169	Benzo[def]chrysene	50-32-8	200-028-5	Carcinogenic (Arti-	Normally not manufactured in-
	(Benzo[a]pyrene)			cle 57a)	tentionally but may occur as a
				Mutagenic (Article	constituent or impurity in other
				57b)	substances.
				Toxic for reproduc-	
				tion (Article 57c)	
170	4,4'-isopropylidenediphe	80-05-7	201-245-8	Toxic for reproduc-	Manufacture of polycarbonate,
	nol			tion (Article 57c)	epoxy resins and chemicals;
				Endocrine disrupt-	hardener in epoxy resins
				ing properties (Arti-	
				cle 57(f) - human	
				health)	

Nº	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
171	4-Heptylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a	-	EU NO.	Equivalent level of concern having probable serious effects to environment (Article 57 f)	Manufacture of polymers; formulation into lubricants
172	combination thereof Nonadecafluorodecanoic acid (PFDA) and its so- dium and ammonium salts show/hide Nonadecafluorodecanoic acid Ammonium nonade- cafluorodecanoate Decanoic acid, nonade- cafluoro-, sodium salt	335-76-2 3108-42-7 3830-45-3	206-400-3	Toxic for reproduc- tion (Article 57c) PBT (Article 57 d)	Lubricant, wetting agent, plasticiser and corrosion inhibitor Lubricant, wetting agent, plasticiser and corrosion inhibitor
173	p-(1,1-dimethylpropyl)ph enol	80-46-6	201-280-9	Equivalent level of concern having probable serious effects to environment (Article 57 f) vPvB (Article 57e)	Manufacture of chemicals and plastic products
1/4	ane-1-sulphonic acid and its salts PFHxS			VI VD (AFRICIE 37E)	

Nº	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
175	Reaction products of	-	-	Endocrine disrupt-	Lubricant additives, mold re-
	1,3,4-thiadiazolidine-2,5-			ing properties (Arti-	lease agents, vehicle / machine
	dithione, formaldehyde			cle 57(f) - environ-	lubrication, open system lubri-
	and 4-heptylphenol,			ment)	cants, grease
	branched and linear				_
	(RP-HP)				
176	Chrysene	218-01-9,	205-923-4	Carcinogenic (Arti-	-
		1719-03-5		cle 57a)	
				PBT (Article 57d)	
				vPvB (Article 57e)	
177	Cadmium nitrate	10022-68-	233-710-6	Carcinogenic (Arti-	Ceramic coloring agent, battery,
		1,		cle 57a)	cadmium salt raw material
		10325-94-		Mutagenic (Article	
		7		57b)	
				Specific target organ	
				toxicity after re-	
				peated exposure	
				(Article 57(f) - hu-	
				man health)	
178	Cadmium hydroxide	21041-95-	244-168-5	Carcinogenic (Arti-	Nickel and cadmium battery
		2		cle 57a)	negative electrode, Thermophilic
				Mutagenic (Article	pigment
				57b)	
				Specific target organ	
				toxicity after re-	
				peated exposure	
				(Article 57(f) - hu- man health)	
179	Cadmium carbonate	513-78-0	208-168-9	Carcinogenic (Arti-	Optical glass raw material, cat-
179	Caumium carbonate	313-76-0	200-100-9	cle 57a)	alyst
				Mutagenic (Article	aiyst
				57b)	
				Specific target organ	
				toxicity after re-	
				peated exposure	
				(Article 57(f) - hu-	
				man health)	
		<u> </u>		1	

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
180	Benz[a]anthracene	56-55-3,	200-280-6	Carcinogenic (Arti-	reagent
		1718-53-2		cle 57a)	
				PBT (Article 57d)	
				vPvB (Article 57e)	
181	1,6,7,8,9,14,15,16,17,17,	-	-	vPvB (Article 57e)	Adhesive agent, sealant, mate-
	18,18-Dodecachloropenta				rial surface treatment agent
	cy-				production
	clo[12.2.1.16,9.02,13.05,1				
	0]octadeca-7,15-diene				
	("Dechlorane Plus"TM)				
182	Terphenyl, hydrogenated	61788-32-	262-967-7	vPvB (Article 57e)	dhesives, additives for plastics,
		7			coatings, inks, heat transfer
					media, heating agents, etc.
183	Octamethylcyclotetra-	556-67-2	209-136-7	PBT (Article 57d)	Semiconductor, cosmetic raw
	siloxane			vPvB (Article 57e)	materials, synthetic resin, syn-
					thetic rubber, etc.
184	Lead	7439-92-1	231-100-4	Toxic for reproduc-	Semiconductor junction
				tion (Article 57c)	
185	Ethylenediamine	107-15-3	203-468-6	Respiratory sensi-	Paper processing agent (mois-
				tising properties	tening agent), chelating agent
				(Article 57(f) - hu-	raw material, synthetic resin
				man health)	curing agent raw material •
					sterilization and disinfection,
					insecticide raw material, fiber
					treating agent raw material
					(wrinkling agent, surfactant, dye
					fixing agent), synthetic resin
					plasticizer raw material, etc.
186	Dodecamethylcyclohex-	540-97-6	208-762-8	Toxic for reproduc-	Surfactant, defoaming
	asiloxane			tion (Article 57c)	
187	Disodium octaborate	12008-41-	234-541-0	Toxic for reproduc-	Wood preservation, termite pro-
		2		tion (Article 57c)	tection etc

No	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
188	Dicyclohexyl phthalate	84-61-7	201-545-9	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - human health)	Plasticizer (for moisture-proof cellophane, for acrylic lacquer, for heat sensitive adhesive), antiblocking agent for plastic surface
189	Decamethylcyclopenta- siloxane	541-02-6	208-764-9	PBT (Article 57d) vPvB (Article 57e)	Mainly used as an intermediate to produce silicone rubber, silicone gel, silicone oil etc.
190	Benzo[ghi]perylene	191-24-2	205-883-8	PBT (Article 57d) vPvB (Article 57e)	For road, waterproof and anti-corrosion paint, fuel for steel making, oil smoke, electrode binder, fishing net dye, roof coating, cast iron pipe coating, etc.
191	Ben- zene-1,2,4-tricarboxylic acid 1,2 anhydride	552-30-7	209-008-0	Respiratory sensitising properties (Article 57(f) - human health)	Synthetic raw materials (water-soluble paint, ester heat-resistant plasticizer, polyamideimide, adhesive, surfactant, dye, pigment), curing agent (epoxy resin), processing agent (fiber treatment agent), stabilizer
192	Pyrene	129-00-0 1718-52-1	204-927-3	PBT (Article 57d) vPvB (Article 57e)	_
193	Phenanthrene	85-01-8	201-581-5	vPvB (Article 57e)	Coating, adhesive It is released into the environment
194	Fluoranthene	206-44-0 93951-69- 0	205-912-4	PBT (Article 57d) vPvB (Article 57e)	Coating, adhesive It is released into the environment
195	Benzo[k]fluoranthene	207-08-9	205-916-6	Carcinogenic (Article 57a) PBT (Article 57d) vPvB (Article 57e)	Coating, adhesive

SKGP - 0001

Nº	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
196	2,2-bis(4'-hydroxyphenyl	6807-17-6	401-720-1	Toxic for reproduc-	Thermal paper, epoxy resin raw
)-4-methylpentane			tion (Article 57c)	material, etc.
197	1,7,7-trimethyl-3-(phenyl	15087-24-	239-139-9	Endocrine disrupt-	Sunscreen and other cosmetics
	meth-	8		ing properties (Arti-	
	ylene)bicyclo[2.2.1]hepta			cle 57(f) - environ-	
	n-2-one			ment)	
198	Tris(4-nonylphenyl,	-	-	Endocrine disrupt-	Antioxidants for polymer stabi-
	branched and linear)			ing properties (Arti-	lization
	phosphite (TNPP)			cle 57(f) - environ-	Antioxidant for plastic addition,
				ment)	organic rubber chemicals (an-
					ti-aging agent)
199	4-tert-butylphenol	98-54-4	202-679-0	Endocrine disrupt-	Adhesive, printing ink,
				ing properties (Arti-	Raw material for oil-soluble
				cle 57(f) - environ-	phenolic resins used in varnish-
				ment)	es
					Polycarbonate resin
					Various synthetic resin modifiers
					Raw materials for fragrances
					and surfactants
200	2-methoxyethyl acetate	110-49-6	203-772-9	Toxic for reproduc-	Cellsolv solvent
				tion (Article 57c)	
					Manufacture of photographic
					film and lacquer, solvent such as
					nitrocellulose, cellulose acetate,
					synthetic resin, semiconductor
					and electronic parts

No	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
201	2,3,3,3-tetrafluoro-2-(hep tafluoro-propoxy)propionic acid, its salts and its acyl halides covering any of their individual isomers and combinations thereof			Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)	Processing aids in the production of fluorinated polymers
202	2-benzyl-2-dimethylamin o-4'-morpholinobutyroph enone 2-methyl-1-(4-methylthio phe- nyl)-2-morpholinopropan -1-one	119313-1 2-1 71868-10- 5	404-360-3	Toxic for reproduction (Article 57c) Toxic for reproduction (Article 57c)	Used for high-speed offset and flexo ink, UV inkjet, resist, printing plate, solder mask, etc. Used for high-speed offset and flexo ink, UV inkjet, resist, printing plate, solder mask, etc.
204	Diisohexyl phthalate	71850-09-	276-090-2	Toxic for reproduction (Article 57c)	Sealant polymer, plasticizer
205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	-	Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)	Alternate candidate of "PFOS"

No	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
206	1-vinylimidazole	1072-63-5	214-012-0	Toxic for reproduction (Article 57c)	Curing agent for epoxy resin, industrial germicide, rust pre- ventive, pharmaceutical raw material
207	2-methylimidazole	693-98-1	211-765-7	Toxic for reproduction (Article 57c)	Main materials and intermediates for the synthesis of pharmaceuticals and photographic chemicals
208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	Endocrine disrupting properties (Article 57(f) – human	Preservatives, rust preventives for cosmetics and pharmaceuticals
209	Dibu- ty- lbis(pentane-2,4-dionato- O,O')tin	22673-19-	245-152-0	Toxic for reproduction (Article 57c)	Stabilizer for plastics, catalyst for resin synthesis
210	bis(2-(2-methoxyethoxy)e thyl) ether	143-24-8	205-594-7	Toxic for reproduction (Article 57c)	Formulation or refilling of mixtures (solder flux, etc.). Use on factory sites (gas absorbers, chemical processes, reaction solvents, extracts, solvents, lubricants). Professional applications (lubricants, non-responsive process aids, ink and toner applications, recording media)

No	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
211	Dioctyltindilaurate,	3648-18-8	222-883-3	Toxic for reproduc-	Formulation or refilling (dry
	stannane, dioctyl-,	(IEC6247	,293-901-	tion (Article 57c)	blending, enamel production,
	bis(coco acyloxy) derivs.	4),	5,		powder coating and ink produc-
	and any other stannane,	91648-39-	etc.		tion).
	dioctyl-, bis(fatty	4, etc.			Use on factory sites (catalysts,
	acyloxy) derivs.				polymer manufacturing, calen-
	wherein C12 is the pre-				dar molding, extrusion molding,
	dominant carbon number				injection molding, coating, steam
	of the fatty acyloxy moi-				foam manufacturing, polymeri-
	ety				zation bans, rubber tire manu-
					facturing additives, polymers,
					enamel and coated wires, coat-
					ing and ink applications,
					Reactive catalyst, intermedi-
					ate).
					Professional applications (cata-
					lyst acceleration modifiers,
					coatings and ink applications).
					Consumer use (catalytic reaction
212	1,4-dioxane	123-91-1	204-661-8	Carcinogenic (Arti-	modifier) Detergents, synthetic leather
212	1,4 dioxane	120 01 1	204 001 0	cle 57a)	solvents, reaction solvents, chlo-
				Equivalent level of	
				concern having	pharmaceutical raw materials
				probable serious	pharmacouricar raw materials
				effects to human	
				health (Article 57(f)	
				- human health)	
				Equivalent level of	
				concern having	
				probable serious	
				effects to the envi-	
				ronment (Article	
				57(f) - environment)	
				or(i) environment)	

SKGP - 0001

Nº	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
213	2,2-bis(bromomethyl)pro	3296-90-0	221-967-7	Carcinogenic (Arti-	Flame Retardant for Unsatu-
	pane1,3-diol (BMP)	1522-92-5	-	cle 57a)	rated Polyester Resin / Ure-
	2,2-dimethylpropan-1-ol,	36483-57-	253-057-0		thane, Organic Synthetic Raw
	tribromo deriva-	5	202-480-9		Material (Pharmaceuticals, Ag-
	tive/3-bromo-2,2-bis(bro	96-13-9			ricultural Chemicals, Electrical
	momethyl)-1-propanol				Materials, Industrial Use, etc.),
	(TBNPA)				Flame Retardant Intermediate
	2,3-dibromo-1-propanol				
	(2,3-DBPA)				
214	2-(4-tert-butylbenzyl)pro	-	-	Toxic for reproduc-	Fragrance (mixed flower fra-
	pionaldehyde and its			tion (Article 57c)	grances such as lily, muguet,
	individual stereoisomers				lilac)
215	4,4'-(1-methylpropyliden	77-40-7	201-025-1	Endocrine disrupt-	Organic synthetic intermediate
	e)bisphenol; (bisphenol			ing properties (Arti-	
	B)			cle 57(f) - environ-	
				ment)	
				Endocrine disrupt-	
				ing properties (Arti-	
				cle 57(f) - human	
				health)	
216	Glutaral	111-30-8	203-856-	Respiratory sensi-	Bactericides (endoscopic
			5	tising properties	equipment used in hospitals,
				(Article 57(f) - hu-	disinfectants for surgical and
				man health)	dental equipment), algae kill-
					ing agents such as cooling
					towers, developer of roentgen
					photographs, reagents,
					cross-linking agents, sample
					fixatives for electron micro-
					scope observation, Tanning
					agent, reagent (for electron
					microscope), virus killing agent

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
217	Medium-chain chlorin-	-	-	PBT (Article 57d)	Flame-retardant resin raw
	ated paraffins (MCCP)			vPvB (Article 57e)	material
	[UVCB substances con-				
	sisting of more than or				
	equal to 80% linear				
	chloroalkanes with car-				
	bon chain lengths within				
	the range from C14 to				
	C17]				
218	Orthoboric acid, sodium	-	-	Toxic for reproduc-	-
	salt			tion (Article 57c)	
219	Phenol, alkylation prod-	-	-	Toxic for reproduc-	-
	ucts (mainly in para po-			tion (Article 57c)	
	sition) with C12-rich			Endocrine disrupt-	
	branched or linear alkyl			ing properties (Arti-	
	chains from oligomerisa-			cle 57(f) environ-	
	tion, covering any indi-			ment)	
	vidual isomers and/ or			Endocrine disrupt-	
	combinations thereof			ing properties (Arti-	
	(PDDP)			cle 57(f) - human	
				health)	
220	(±)-1,7,7-trimethyl-3-[(4-	-	-	Endocrine disrupt-	UV filters for cosmetics and
	methylphenyl)methylene			ing properties (Arti-	personal care products
]bicy-			cle 57(f) - human	
	clo[2.2.1]heptan-2-one			health)	
	covering any of the indi-				
	vidual isomers and/or				
	combinations thereof				
	(4-MBC)				
221	6,6'-di-tert-butyl-2,2'-met	119-47-1	204-327-1	Toxic for reproduc-	Plastic Antioxidants, Organic
	hylenedi-p-cresol			tion (Article 57c)	Rubber Chemicals (Anti-aging
					Agents)

Nº	REACH SVHC(Controlled substances)		Suggestion reason	Mainly use,handling	
	Material name	CAS No.	EC No.		etc(Japan,EU)
222	S-(tricyclo(5.2.1.0'2,6)dec	255881-9	401-850-9	PBT (Article 57d)	Lubricant, grease
	a-3-en-8(or 9)-yl	4-8			
	O-(isopropyl or isobutyl				
	or 2-ethylhexyl)				
	O-(isopropyl or isobutyl				
	or 2-ethylhexyl) phos-				
	phorodithioate				
	X4261				
223	tris(2-methoxyethoxy)vin	1067-53-4	213-934-0	Toxic for reproduc-	Silane coupling agent
	ylsilane			tion (Article 57c)	
224	N-(hydroxymethyl)acryla	924-42-5	213-103-2	Carcinogenic (Arti-	Use as monomer for polymeriza-
	mide			cle 57a)	tion, use as fluoroalkyl acrylate
				Mutagenic (Article	copolymer and use in
				57b)	paints/coating films
225	1,1'-[ethane-1,2-diylbisox	37853-59-	253-692-3	vPvB (Article 57e)	Used as an additive flame re-
	y]bis[2,4,6-tribromobenz	1			tardant. (Those that do not
	ene]				chemically bond with the base
					material and remain in the
					molded product as they are)
					Used for ABS, HIPS, thermo-
					plastics, thermosets, polycar-
					bonates, coatings, fibers, etc.
226	2,2',6,6'-tetrabromo-4,4'-i	79-94-7	201-236-9	Carcinogenic (Arti-	Brominated Flame Retardant,
	sopropylidenediphenol			cle 57a)	RoHS Restricted Substance
					Candidate. Nearly 90% of them
					are said to be used as reactive
					flame retardants, but they are
					also used as additives such as
					ABS resin. (The RoHS re-
					striction dossier states that the
					residue in the product is less
					than 0.1%.)

S KG P - 0 0 0 1

Nº	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use,handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	Toxic for reproduc-	Switzerland has already banned
				tion (Article 57c)	BPS in thermal paper at
				Endocrine disrupt-	0.02w%.
				ing properties (Arti-	Also used for leather tanning.
				cle 57(f) - environ-	
				ment)	
				Endocrine disrupt-	
				ing properties (Arti-	
				cle 57(f) - human	
				health)	
228	Barium diboron	13701-59-	237-222-4	Toxic for reproduc-	Coatings and paints, thinners,
	tetraoxide	2		tion (Article 57c)	paint strippers, etc.
229	bis(2-ethylhexyl) tetra-	-	-	vPvB (Article 57e)	Additive flame retardant and
	bromophthalate covering				plasticizer for rubber and plastic
	any of the individual				products.
	isomers and/or combina-				*Brominated adduct of DEHP
	tions thereof				and a flame-retardant plasticiz-
	Bis(2-ethylhexyl) tetra-				er.
	bromophthalate EC				
	No.: 247-426-5 CAS				
	No.: 26040-51-7				
230	Isobutyl	4247-02-3	224-208-8	Endocrine disrupt-	-
	4-hydroxybenzoate			ing properties (Arti-	
				cle 57(f) - human	
				health)	

Nº	REACH SVHC(Controlled substances)			Suggestion reason	Mainly	use,handling
•	Material name	CAS No.	EC No.		etc(Japan,EU)	
231	Melamine	108-78-1	203-615-4	Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article	For melamine melamine resin	monomer, not
				57(f) - environment)		
232	Perfluoroheptanoic acid and its salts	6130-43-4 21049-36- 5 375-85-9 20109-59- 5	228-098-2 - 206-798-9 243-518-4 	Toxic for reproduction (Article 57c) PBT (Article 57d) vPvB (Article 57e) Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)	-	
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluo ropro-pan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	-	473-390-7	vPvB (Article 57e)	-	

No	REACH SVHC(Controlled	substances)		Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
234	bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	vPvB (Article 57e)	Used in industrial applications, etc. for the production of poly- mers, rubbers and other chemi- cals
235	diphe- nyl(2,4,6-trimethylbenzo yl)phosphine oxide	75980-60- 8	278-355-8	Toxic for reproduction (Article 57c)	Chemicals, Inks & Toners, Dispensable Products, Adhesives, Sealants, Polymers & Fillers, Putties, Plasters & Clays, etc.
236	2,4,6-tri-tert-butylphenol	732-26-3	211-989-5	Toxic for reproduc- tion (Article 57c) PBT (Article 57d)	Industrial use of fuel additives and additive diesel and use as intermediates
237	2-(2H-benzotriazol-2-yl)- 4-(1,1,3,3-tetramethylbu tyl)phenol (UV-329)	3147-75-9	221-573-5	vPvB (Article 57e)	Used in parent material applications including coating fluids, adhesives, sealants, printing inks, abrasive and wax mixtures, textile dyeing, finishing products, impregnation agents. Used in cleaning agents, fillers, putties, plasters, clays, cosmetics, fragrances, air fresheners, biocidal products, photochemicals and metal and non-metal surface treatments.
238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-8 6-4	438-340-0	Toxic for reproduction (Article 57c)	Photoinitiators in UV-inks used in printed or coated articles (plastics and papers)
239	Bumetrizole (UV-326)	3896-11-5	223-445-4	vPvB (Article 57e)	Used in parent material applications including coating fluids, adhesives, sealants, printing inks, abrasive and wax mixtures, textile dyeing, finishing products, impregnation agents. Used in cleaning agents, fillers, putties, plasters, clays, cosmetics, fragrances, air fresheners, biocidal products, photochemicals

Nº	REACH SVHC(Controlled substances)		Suggestion reason	Mainly use, handling	
	Material name	CAS No.	EC No.		etc(Japan,EU)
					and metal and non-metal surface treatments.
240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol Phenol, methylstyrenated EC No.: 270-966-8 CAS No.: 68512-30-1	-	700-960-7	vPvB (Article 57e)	Rubber adjustment, coating liquid, adhesive and ink
241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	201-279-3	Toxic for reproduction (Article 57c)	It is used in products such as pH adjusters, flocculants, precipi-
242	Triphenyl phosphate	115-86-6	204-112-2	Endocrine disrupting properties (Article 57(f) - environment)	tants and neutralizers. As a flame retardants and plasticizers in plastics, and rubber products . binding agent in adhesives and sealants, coating products , as a raw material for producing trimethyl phosphate
243	6-[(C10-C13)-alkyl-(bran ched, unsaturated)-2,5-dioxopyrrolidin-1	2156592- 54-8	701-118-1	Toxic for reproduction (Article 57c)	Lubricants, greases, release products and metal working fluids
244	O,O,O-triphenyl phos- phorothioate	597-82-0	209-909-9	PBT (Article 57d)	used in Lubricants and greases ,Hydraulic oil and metal working fluids
245	Octamethyltrisiloxane	107-51-7	203-497-4	vPvB (Article 57e)	Manufacture and/or formulation of: cosmetics, personal/health care products, pharmaceuticals, washing and cleaning products, coating and non-metal surface treatment and in sealants and

No	REACH SVHC(Controlled substances)			Suggestion reason	Mainly use, handling
	Material name	CAS No.	EC No.		etc(Japan,EU)
					adhesives
246	Perfluamine	338-83-0	206-420-2	vPvB (Article 57e)	Manufacture of electrical, electronic and optical equipment and machinery and vehicles. Such as anti-corrosion transmission fluid, dielectric insulating fluid, electronic components, and device leak detection fluid.
247	Reaction mass of: tri- phenylthiophosphate and tertiary butylated phenyl derivatives	192268-6 5-8	421-820-9	PBT (Article 57d)	No active registrations used in the following products: metal working fluids, hydraulic fluids and lubricants and greas- es.
248	1,1,1,3,5,5,5-heptamethy l-3- [(trimethylsilyl)oxy] trisiloxane	17928-28- 8	241-867-7	vPvB (Article 57e)	Used in laboratory reagents and cosmetics/personal care products.
249	decamethyltetrasiloxane	141-62-8	205-491-7	vPvB (Article 57e)	Used in lubricants and greases and automotive care products.
250	tetra(sodium/potassium) 7-[(E)-{2- acetam- ido-4-[(E)-(4-{[4-chloro-6- ({2-[(4-fluoro-6-{[4- (vinyl- sul- fonyl)phenyl]amino}-1,3, 5- tria- zine-2-yl)amino]propyl}a mino)- 1,3,5-triazine-2-yl]amino }-5- sulfona- to-1-naphthyl)diazenyl]- 5- methoxy-		466-490-7	Toxic for reproduction (Article 57c)	Used in textile treatment products and dyes.

Nº	REACH SVHC(Controlled	REACH SVHC(Controlled substances)			Mainly	use,handling
	Material name	Material name CAS No. EC No.			etc(Japan,EU)	
	phenyl}diazenyl]-1,3,6-					
	naphthalenetrisulfonate;					
	Reactive					
	Brown 51					

The threshold in REACH SVHC specified in table 5-5 should be under 0.1% (1,000ppm) of the article mass.

Table 5-6 Supplementary explanations

Items	Comments
Permissible concen-	It means that permissible concentration for banned substances per homogeneous
tration per homoge-	material which constitutes products.
neous material	The homogeneous material means a material which cannot be mechanically divided
	into sub materials any more. Film coated with painting, printing or plating is the
	homogeneous material. If the film is formed with some layers, each layer is the ho-
	mogeneous material.
	If it would be "metal and its compounds", concentration converted into metal would
	be used. (same as paragraph 6)
Intentional use	It means that adding banned substances for the purpose of improving product
	characteristics and/or its quality on purpose.
Control value	It means that concentration of banned substances which is considered not to exceed
	without intentional use or mixing / contamination, and to be monitored by Sanken
	Group and suppliers. Over control value would be a signal that announces the risk
	of over restriction value.
	In case of over control value, re-analysis, emergency measure, and correc-
	tive/preventive action should be taken for resolution of the over control value.
Restriction value	It equivalents to the legally regulated value and any excess ions will be unaccepta-
	ble.
Exceptions of	Sanken Group accepts the exceptions of RoHS and ELV directives. However, the
RoHS/ELV directives	exception of deca-BDE (a kind of PBDE) in RoHS directive is unacceptable in con-
	sideration of customers' requirements etc as of July, 2007.
	RoHS and ELV exceptions which are scarcely related to Sanken products are not
Restriction for nur-	listed in the Table $5-1$.
Restriction for pur- chasing of two raw materials (Recom-	Sanken group selects two raw materials of "recycled resin and coated wire (except for the magnet wire)" manufactured by customers who have SONY green partner
materials (Recom- mended use of four	approval. According to 4 raw materials such as "plastic painting ink and magnet wire"
raw materials)	According to 4 raw materials such as "plastic, painting, ink, and magnet wire", Sanken group selects the materials manufactured by whom SONY recommends raw material business partner as much as possible. It wouldn't be applied when SANKEN group does not sell SANKEN products to
	material business partner as much as possible. It wouldn't be applied when SANKEN group does not sell SANKEN products to
	SONY group.
D 1 '41	
Purchases without	Sanken Group applies RoHS/ELV to the products as much as possible even they do
this standard	not have this standard.
Decomposition of the second se	However, Sanken Group sometimes purchases products without this standard.
Efforts for reduction of hazardous chemi-	Sanken Group and suppliers shall make constant efforts for reduction or disuse of
of nazardous chemi- cal substances	hazardous chemical substances in accordance with technology innovation.
Compliance with	In addition to banned substances specified in this standard, there are a number of
laws and regulations	banned substances regulated in the chemical substance assessment and restriction
laws and regulations	painieu substances regulated in the chemical substance assessment and restriction

law and the law for worker's safety and hygiene. Sanken Group and suppliers shall comply with all laws and regulations relating to chemical substances.

6. Controlled substances contained in products

Regarding the products in Table 3-1, The Sanken Group refer "Controlled Substances Contained in Products (hereinafter referred to as controlled substances)" for which the Sanken Group and its business partners need to recognize, and we specify in Table 6-1.

Banned substances in No.1 are a part of managed substances. Though the managed substances after №2 in Tables 6-1 are the chemical substances to be reduced as possible, they are not banned sub-stances.

These managed substances are added the substances based on the customer request to the substances specified in the IEC62474. Please refer IEC62474 for the details.

Understanding the managed substances is essentially important. Furthermore, understanding the entire chemical substances constituting products is needed these days.

Table 6-1 Controlled substances

No	Categories	Managed substances		
1	Banned substances	Refer to Table 4-1 for the substance names.		
	described in Table 4-1	(Not only the confirmation of non-content in the banned applications,		
		but also the grasp of the content amount in the allowed applications.)		
	REACH SVHC listed in Table	See Table 5-5 for substance names.		
	5-5	♦ If it is contained, we will discuss how to deal with it.		
	Metal and its compounds	Arsenic and its compounds		
		Beryllium (Be) and its compounds (other than Beryllium oxide)		
		Bismuth (Bi) and its compounds		
2		Selenium (Se) and its compounds		
		Nickel (Ni) and its compounds		
		(Only in the applications for articles that may come into direct and		
		prolonged contact with human skin)		
	Halogenated organic com-	Brominated flame retardants (other than PBBs or PBDEs)		
3	pounds	Chlorinated organic compounds (other than banned substances)		
4	Chlorates	Perchlorate and its compounds		
		1		
5	Antimony and antimony	Antimony and antimony compounds		
	compounds			
	GADSL	D and substance of D/P		
6		D: Declarable (reportable substances)		
		D/P: Declarable /Prohibited (Basically banned substances. But if you		
		use them, report Sanken their use.)		
_	Carifornia proposition65	Substances listed in California law, USA		
7		Proposition 65 List — Issued on January 03, 2025		
	Per- and polyfluoroalkyl sub-	REACH Restriction intention announcement		
	stances (PFAS)			
8	Perfluoroalkyl substances and			
	polyfluoroalkyl substances			
	(PFAS)			
	Threshold: Understanding managed substances which content more than 1000mm (more than			

Threshold: Understanding managed substances which content more than 1000pm (more than 100pm only for cadmium) per homogeneous material. However, the content of managed substances which are used on purpose should be grasped even the threshold is less than the standard.

7. Management system for chemical substances in products

Sanken Group and suppliers establish and operate the management system for chemical substances in products according to the conditions of the organizations. This management system should include action items shown in **Table 7-1** and **Table 7-2**, and the action to guarantee the non-content of banned substances to be taken.

Table 7-1 General matters

No	Action items	Briefs of action
1	Policy	Create a document including the basic policy of top management regarding "the management of chemical substances in products" (hereafter "substance management"), and inform it to the related parties.
2	Legal, customer's and other requirements	Clarify legal, customer's and other requirements regarding managed substances in products, and inform it to the related parties.
3	Own requirements	Clarify own requirements regarding managed substances in products, and inform it to the related parties.
4	Improvement plans	Create improvement plans, implement them, and manage their progress regarding managed substances in products.
5	Organizational systems and roles	Create organizational systems for managed substances in products and clarify roles and responsibilities.
6	Education and training	Plan and implement education and training programs regarding managed substances in products.
7	Documents and records	Create, maintain, and use documents that provide managed substances in products properly. Create and keep records of activities regarding managed substances in products properly.
8	Communication	Create and use a framework for the exchange and sharing of information regarding managed substances in products both internally and externally.
9	Internal audits	Implement internal audits about the system and operation regarding managed substances in products.
10	Management review	Implement management review by top management about the system and operation regarding managed substances in products, based on the results of the internal audits.

Table 7-2 Matters related to development through shipment of products

No	Action items	Briefs of action
1	Development of products	Design the products that satisfy own and customer's requirements, and verify compliance to these requirements.
2	Selection of material suppliers	Investigate substance management systems of material suppliers, and select suppliers based on the investigation results. Request suppliers for the improvements of the system as necessity.
3	Management of manufacturing subcontractors	Investigate substance management systems of manufacturing subcontractors, and select the subcontractors based on the investigation results. Request the manufacturing subcontractors for the improvements of the system as necessity. Select the manufacturing subcontractors for Sanken products from members of Sony Green partner certified companies. (Specific products)
4	Obtaining and confirmation of substance content information	Obtain substance content information of purchased parts and materials regularly, and confirm if it meets own and specific customer's requirements. As a component analysis, apply analysis methods, including preprocessing methods of samples, which customers and industry allow.
5	Confirmations at acceptance of materials	Confirm if the materials have done with the confirmation above, and accept these materials. When examination transcripts or the similar documents are attached to delivered materials, confirm if the examination results meet own and customer's requirements. As for materials with concerning the content of banned substances (hereafter, concerned materials), implement receiving inspections of concerned materials with proper frequency and method corresponding to the situation. (e.g. fluorescent X-ray analysis)

		Confirm whether materials containing banned substances are used or not
	Process management	in manufacturing process.
		When using them, ensure to prevent incorrect use and contamination
		caused by them to target
		products. (e.g. Identification, isolation, cleaning, in-process inspections)
		If characteristic change and content density of substances occur because of
6		chemical reactions, volatilizing, etc. in manufacturing processes, under-
"		stand and control the influence on final
		products by these changes.
		Control manufacturing processes so that materials which should not be
		contained to the target products (e.g. transportation tools for products,
		machine oils, cleaning agent for equipments, etc.) would not be the cause of
		contamination for the products by banned substances.
	Confirmations at shipment of products	Implement and operate a mechanism in which products are shipped only
		after the confirmations of certain operational controls have been done in
		manufacturing processes as to contained substances.
7		As for products containing questionable materials, implement inspections
		at shipment of the products according to frequency and method corre-
		sponding to the situation. (e.g. fluorescent X-ray analysis)
	Management of change	Establish and operate a mechanism for the management corresponding to
		each of the changes in designs, manufacturing processes, materials, and
		etc.
8		If the change is deemed to potentially influence contained substances in
		products, obtain and confirm again the substance content information in
		clause 4 above.
9	Management of	Establish and operate a mechanism for the handling of non-conformity in-
	Non-conformity	cluding that of substance management.
10	Traceability	Establish and operate a mechanism which manufacturing histories and
10	Traceability	used materials can be traced from shipped products.

8. Submission of survey report of environment-restricted substances

8-1 Requirement

If parts and raw materials in "Table 3-1 Ordered Products to which this guide line is applied" correspond to the below cases, please prepare any document and submit to Sanken

- (1) Newly purchased products
- (2) Change of raw materials
- (3) Change of production process
- (4) Change of production site
- (5) Other than the above where our responsible person determines that the submission is necessary

8-2 Documents to be submitted

The following 3 documents shall be submitted.

(1) Guarantee compliance substances contained in products

This document guarantee that the management of environment restricted substances that Sanken specifies conform with any standard.

In the case that any of environment restricted substances is intentionally used, please fill in substance's name and content to "Composition table of products".

And fill in Sanken's parts name, parts number too.

(2) Report of result of precision analysis

As to Cd,Pb,Hg,Cr⁶⁺ and specific bromine compounds (PBB, PBDE),phthalates four substances (DEHP or DOP / BBP / DBP / DIBP) specified in Table 5 – 1 prohibited substances of RoHS directive, please

attach the result of measurement of contents and the report of analysis results (analysis data) issued by an in institute or laboratory.

In principle, English language shall be used. Although Japanese language is acceptable, you may be requested to submit the English translation in case of need.

<Method for description of analysis results>

- a) Refer to IEC62321, pre-treatment for analysis and measurement are executed.
- b) The process flow for analysis shall be attached.
- c)The sample's photo for analysis shall be attached.
- d) The expiration date of the analysis data is one year from the date of the measurement. Please submit the analysis data within one year from the measurement day.

<analysis institution>

a)The laboratory is authorized certification of ISO/IEC17025, or there are international institutions such as SGS, INTERTEC.

b)If you submit SGS TAIWAN's analysis report, please check mark in the upper Page1. If this mark is \[\cdot ? \] we are not able to receive it.

(3) Composition table of products (The names of each part of the product and the table describing the chemical substances contained in each part)

Important matter: Please disclose all contained chemical substances.

Materials related to know-how can be "non-disclosed". However, please disclose the management / prohibited substances specified by our company.

Article: Please submit a), b).

- a) chemSHERPA-AI
- b) Your company's "Composition table of products".

Preparation, substance: Please submit c), d).

- c) Safety data sheet
- d) chemSHERPA-CI

8-3 Preparation of survey report

Since a wide range of products including raw materials and assemblies are required to be reported, the blank form of the report will be distributed by our person in charge of the purchasing department.

When you receive a request from our person in charge, please submit this report quickly.

8-4 Request for submission of reports

We have promoted ISO14001 activities for reducing the environment restricted substances.

You are cordially requested to send us the survey report of environment restricted substances and related documents by using the electronic mail (E-mail) as far as possible.

(Please refrain from using the facsimile.)

9. Protection of confidential information


We assure you that information or documents which we receive from suppliers for the above survey will be Sanken Electric Co., Ltd. 63 / 67

used solely for the purpose of this survey to protect the confidentiality of the information.

10. Process of the "Green Procurement Guide" establishment

The Quality Control Guide is divided into two parts, one for quality requirements and another for environment-related requirements.

For the purpose of correcting differences among different divisions/departments and unifying the standards, the Green Procurement Guide is issued.



* Notice to suppliers

- (1) The General Purchase Specifications for Environment-Related Quality Assurance Parts (CXA40000-505) distributed by the PM Division are replaced by the Green Procurement Guide, but as the contents are not substantially different from the delivery specifications of PM Division, the delivery specifications will not be revised.
- (2) The Agreement made by and between the semiconductor BU and suppliers will continue to be effective, since the restricted values of contents are not changed significantly.

Rev.23(Feb.6.2020)

Table 5-5 REACH SVHC

Added ECHA / 01 / 2020

Rev.24(Aug.17.2020)

Table 5-1 RoHS substances

Added Pb control value annotation. Revised deadline for "RoHS exemption".

Table 5-2 RoHS substances

Added Pb control value annotation.

Table 5-3 Other Banned Substances

Deleted 4 substances of RoHS phthalic acid

Table 5-5 REACH SVHC

Added D(2020)4578-DC

Rev.25(Feb.1.2021)

Table 5-5 REACH SVHC

Added D(2020)9139-DC

Rev.26(Jul.21.2021)

Table 4-1 List of banned substances

Added No65 Persistent, Bioaccumulative, and Toxic (PBT) Chemicals under TSCA Section 6(h)

Table 5-3 Other Banned Substances

Addition of 2 substances at the end of the table

Table 5-5 REACH SVHC

Added SVHC D(2021)4569-DC No212-No219

Table 6-1 Controlled substances

Added No7 Carifornia proposition65

Rev.27(Feb.1.2022)

Table 5-5 REACH SVHC

Added SVHC D(2021)10043-DC No220-No223

Rev.28(Jul.19.2022)

Table 2-1 Change JIG to IEC62474

Table 4-I PFHxS addition, number re-assignment, large classification (organic fluorine compound, specific phthalic acid addition)

Table 5-3 Adding PFHxS

5-5 REACH SVHC (substances of very high concern)

SVHC D (2022) 4187-DC added No. 224

6. Controlled Substances Contained in Products JIG changed to IEC62474

Table 6-1 Item 8 PFAS Added

Rev.29(Feb.13.2023)

Table 4-1 PFCA addition, serial number deletion

Table 5-3 Adding PFCA

Table 5-5 REACH SVHC (substances of very high concern)

SVHC D (2022) 9120-DC added No225-233

Table 6-1 Added REACH SVHC to controlled substance No.1

Rev.30(Jul.31.2023)

Table2-1 Added POPs Convention

Table 4-1 added

Decabromodiphenyl ether (DecaBDE)

Declorane Plus (DP)

Pentachlorophenol (PCP)

UV-328

Substances subject to the POPs Convention

Table5-3

Revised description

Hexabromocyclododecane (HBCDD)

Added

Declorane Plus (DP)

Pentachlorophenol (PCP)

Decabromodiphenyl ether (DecaBDE)

UV-328

Substances subject to the POPs Convention

Table5-5 REACH SVHC

SVHC D(2023)3788-DC added No234-235

Rev.31(Mar. 1.2024)

Table 5-5 REACH SVHC

SVHC D(2023)8585-DC added No236-240

Rev.32(Oct. 11.2024)

Table 5-5 REACH SVHC

D(2024)4144-DC added No241

Rev.33(Mar. 10.2025)

Table5-5 REACH SVHC

SVHC D(2024)6225-DC added No242

SVHC D(2024)7663-DC added No243-247. SVHC No198 Cancellation of limited conditions

Rev.34(Sep. 1.2025)

Modification of "4. Banned substances"

Added MCCP and LC-PFCA to Table 4-1 and Table 5-3.

Table5-5 REACH SVHC

SVHC D(2025)4165-DC added No248-No250

 $Changed \ from \ REACH \ SVHC (limit \ material) \ to \ REACH \ SVHC (Controlled \ substances)$

Table 6-1 Controlled substances

Carifornia proposition65 Document Issued Date